PHASE
3

PARKERPACIFIC
PARTS

inland-group.com

AIR & BRAKE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2A017	DISC SPRING BRAKE	MULTIPLE APPLICATIONS	SPRING BRAKE CHAMBER: TYPE 24 SERVICE BRAKE CHAMBER: TYPE 18 STROKE: 2.25" / 57MM 3/8"-18 NPTF PORTS SPRING CHAMBER: PERMANENTLY SEALED FOR SAFETY
PPP2A019	DISC BRAKE ROTOR W/KIT	MULTIPLE APPLICATIONS	BENDIX ADB22XTM AIR DISC BRAKE SYSTEMS OD: 17", THICKNESS: 1.77" BOLT CIRCLE: 9.05", 10 BOLTS, BOLT SIZE: 1.034"
PPP2B003	15FT 3IN1 ABS	MULTIPLE APPLICATIONS	FULLY ABS COMPATIBLE, SPIRAL WRAPPED FOR CLEAN LOOK SWIVEL END FITTINGS, COLD WEATHER KINK RESISTANT LARGE, EASY GRIP HANDLES COLOR CODED FOR GLADHANDS INCLUDES HANGER BRACKET MOUNTING ASSEMBLY FOR EASY SUSPENSION
PPP2U003	CARTRIDGE	MULTIPLE APPLICATIONS	
PPP2U008	AIR DRYER AD-IS	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX AD-IS™ EXTENDED PURGE STYLE
PPP2U011	AIR HOSE AND GUN	MULTIPLE APPLICATIONS	INCLUDES TEE FITTING & NOZZLE ADAPTER 11.75" LONG
PPP2A022	S-CAM KIT	MULTIPLE APPLICATIONS	MERITOR TRAILER 4000-6000 AXLE MODELS W/ 16.5 BRAKES MERITOR DRIVE P & Q AXLE MODELS W/ 2 1/2 BRAKES
PPP2A023	S-CAM KIT	MULTIPLE APPLICATIONS	MERITOR TRAILER Q & Q PLUS AXLE MODELS W/ BOLT ON POWDER METAL SPIDER BUSHINGS
PPP2A024	S-CAM KIT	MULTIPLE APPLICATIONS	LATE DANA® & STANDARD FORGE A175, A195 & A225 AXLE MODELS W/ 16.50 BRAKES
PPP2A025	S-CAM KIT	MULTIPLE APPLICATIONS	INTRAAX 16.5" HXS TYPE W/TUBE
PPP2A026	BRAKE SHOE KIT	MULTIPLE APPLICATIONS	MERITOR Q PLUS FRONT BRAKE SYSTEMS NEW, NO CORE, NS301 LINING – COMPARABLE TO 23K & 312 LINING, CONSISTS OF 2 SHOES & HARDWARE KIT LENGTH: 15" (38.1CM), WIDTH: 4" (10.16CM)
PPP2B006	GLAD HAND SEAL RED	MULTIPLE APPLICATIONS	COLOR CODED RED FOR EMERGENCY, POLYURETHANE MATERIAL - POLYURETHANE

AIR & BRAKE



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2E003	ABS SPEED SENSOR	MULTIPLE APPLICATIONS	LENGTH: 12", 90 DEGREE CANNON CONNECTOR
PPP2E004	ABS SPEED SENSOR	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX®, BODY TYPE: STRAIGHT 66"/1676MM, CONNECTOR TYPE: WHITE CANNON DIMENSIONS - 66/1676MM
PPP2R024	WASHER RESERVOIR CAP	MULTIPLE APPLICATIONS	CAP FOR TANK S-26491
PPP2U016	SR7 VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX SR-7 MOUNTING STUDS:3/8"-16 X 0.94" CONTROL PORT: 1/4"NPT, BALANCE PORT: 1/4"NPT
PPP2U017	SPRING BRK CONTROL VLV	MULTIPLE APPLICATIONS	REPLACEMENT FOR SEALCO®, SPRING BRAKE PRIORITY
PPP2U018	SEALCO VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR SEALCO®, SERVICE RESERVOIR PRIORITY
PPP2U019	36" DRAIN VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR HALDEX®, PORTS: 1/4 NPT MALE THREAD MANUAL, INCLUDES 4FT CABLE
PPP2U021	MV3 KNOB KIT	MULTIPLE APPLICATIONS	WORKS W/ BENDIX MV3™ VALVES CONSISTS OF: RED (298817) & YELLOW (298818)
PPP2U022	ALCOHOL EVAPORATOR	MULTIPLE APPLICATIONS	HALDEX (WAGNER / MIDLAND) DESIGN, SUPERCEDED BY AIR DRYERS, INCLUDES MOUNT BRACKET
PPP2U025	DISCHARGE HOSE	MULTIPLE APPLICATIONS	"5 DEG. FEMALE SWIVEL BOTH ENDS DURABLE STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM -65° TO 450° F INSIDE DIAMETER - 1/2", OUTSIDE DIAMETER - 5/8"
PPP2U026	3/8 FERRULE	MULTIPLE APPLICATIONS	INSIDE DIAMETER - 3/8"
PPP2U028	CAGING BOLT	MULTIPLE APPLICATIONS	FITS ALL TYPE 24 & TYPE 30 SPRINGBRAKES
PPP2O002	VENT PLUG, STANDARD	MULTIPLE APPLICATIONS	DIAMETER: 1-5/8" QTY PK: 10

AIR & BRAKE



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2O003	HUBCAP W/ GASKET	MULTIPLE APPLICATIONS	INTERCHANGE W/ C/R & STEMCO INCLUDE PLUG & GASKET, 6 BOLT BOLT CIRCLE: 4 1/2", OVERALL HEIGHT: 2 5/8" FLANGE I.D: 3 1/2", FLANGE O.D: 5 1/4" DIMENSIONS - 5/16 BOLT SIZE, BOLT CIRCLE (A): 4 1/2 OVERALL HEIGHT (B): 2 5/8, FLANGE I.D. (C): 3 1/2 FLANGE O.D. (D): 5 1/4
PPP2O004	HUBCAP W/ GASKET	MULTIPLE APPLICATIONS	INTERCHANGE W/ C/R & STEMCO, INCLUDE PLUG & GASKET 6 BOLT, BOLT CIRCLE: 5 1/2", OVERALL HEIGHT: 2 11/16" FLANGE I.D: 4 3/8", FLANGE O.D: 6 1/4" DIMENSIONS - 5/16 BOLT SIZE, BOLT CIRCLE (A): 5 1/2 OVERALL HEIGHT (B): 2 11/16 FLANGE I.D. (C): 4 3/8, FLANGE O.D. (D): 6 1/4 INSIDE DIAMETER - 4.375, OUTSIDE DIAMETER - 6.25"
PPP2U030	GLAD HAND RUBBER SEAL	MULTIPLE APPLICATIONS	BLACK
PPP2A029	SLACK ADJUSTER	MULTIPLE APPLICATIONS	GUNITE STYLE, CLEARANCE SENSING, COLLAR LOCK CLEVIS 5.5 & 6 ARMS, COMPLETE W/ STRAIGHT CLEVIS UNHANDED DESIGN, DRILLED WORM WHEEL FACTORY LUBRICATED & SEALED, HEAVY DUTY INTERNALS NO EXTERNAL BRACKETS REQUIRED LONG STROKE COMPATIBLE, FINEST QUALITY DUCTILE NODULAR IRON, SPLINE LENGTH: 10 SPLINE DIAMETER: 1-1/4", ARM LENGTH: 5-1/2" DIMENSIONS - 1 1/4"-10 X 5 1/2"
PPP2A030	SLACK ADJUSTER	MULTIPLE APPLICATIONS	MERITOR STYLE, STROKE SENSING NON QUICK-CONNECT CLEVIS, COLLAR LOCK CLEVIS 5.5 & 6 ARMS, COMPLETE W/ STRAIGHT CLEVIS UNHANDED DESIGN, DRILLED WORM WHEEL FACTORY LUBRICATED & SEALED, HEAVY DUTY INTERNALS NO EXTERNAL BRACKETS REQUIRED LONG STROKE COMPATIBLE, FINEST QUALITY DUCTILE NODULAR IRON, SPLINE LENGTH: 10 SPLINE DIAMETER: 1-1/2", ARM LENGTH: 6" DIMENSIONS - 1 1/2"-10 X 6"

AIR & BRAKE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2A031	SLACK ADJUSTER	MULTIPLE APPLICATIONS	BENDIX STYLE, CLEARANCE SENSING QUICK-CONNECT CLEVIS, COLLAR LOCK CLEVIS 5.5 & 6 ARMS, COMPLETE W/ STRAIGHT CLEVIS UNHANDED DESIGN, DRILLED WORM WHEEL FACTORY LUBRICATED & SEALED, HEAVY DUTY INTERNALS NO EXTERNAL BRACKETS REQUIRED LONG STROKE COMPATIBLE, FINEST QUALITY DUCTILE NODULAR IRON, SPLINE LENGTH: 28 SPLINE DIAMETER: 1-1/2", ARM LENGTH: 5"-6" DIMENSIONS - 1 1/2"-28 X 6"
PPP2A032	SLACK ADJUSTER	MULTIPLE APPLICATIONS	HALDEX STYLE, TYPE: DRIVE AXLE UNHANDED DESIGN, DRILLED WORM WHEEL FACTORY LUBRICATED & SEALED, HEAVY DUTY INTERNALS LONG STROKE COMPATIBLE, FINEST QUALITY DUCTILE NODULAR IRON, SPLINE LENGTH: 10, SPLINE DIAMETER: 1-1/2" ARM LENGTH: 5"-6", DIMENSIONS - 1 1/2"-10 X 5"-6"
PPP2A033	SLACK ADJUSTER	MULTIPLE APPLICATIONS	HALDEX STYLE, TYPE: DRIVE AXLE UNHANDED DESIGN, DRILLED WORM WHEEL FACTORY LUBRICATED & SEALED, HEAVY DUTY INTERNALS LONG STROKE COMPATIBLE, FINEST QUALITY DUCTILE NODULAR IRON, SPLINE LENGTH: 28 SPLINE DIAMETER: 1-1/2", ARM LENGTH: 5"-6" DIMENSIONS - 1 1/2"-28 X 5"-6"
PPP2A034	SLACK ADJUSTER, MANUAL 6 PK	MULTIPLE APPLICATIONS	QUANTITY PACK 6, STRAIGHT ARM STANDARD DUTY W/ BRONZE BUSHINGS, 30,000LB RATING W/ SAE J1461 DRAFT 4 TESTING 30,000 IN/LB MAX. SPLINE: 10, SPLINE DIAMETER: 1-1/2" ARM LENGTH: 5"-6"-7", DIMENSIONS - 1 1/2"-10 X 5"-6"-7"
PPP2U032	FULL FUNCTION TRAILER VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR HALDEX®, REPLACEMENT FOR FF-2™ PORTS: 3/4 NPTM RESERVOIR"
PPP2B007	12' 3IN1 ABS	MULTIPLE APPLICATIONS	FULLY ABS COMPATIBLE, SPIRAL WRAPPED FOR CLEAN LOOK SWIVEL END FITTINGS, COLD WEATHER KINK RESISTANT LARGE, EASY GRIP HANDLES COLOR CODED FOR GLADHANDS INCLUDES HANGER BRACKET MOUNTING ASSEMBLY FOR EASY SUSPENSION
PPP2U035	BRAKE VALVE	MULTIPLE APPLICATIONS	
PPP2E007	ABS SPEED SENSOR - 75"	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX®, BODY TYPE: 90° 75"/1905MM, CONNECTOR TYPE: WHITE CANNON DIMENSIONS - 75/1905MM

AIR & BRAKE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2E008	ABS SPEED SENSOR - 78"	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX®, BODY TYPE: STRAIGHT 78"/1981MM, CONNECTOR TYPE: WHITE CANNON DIMENSIONS - 78/1981MM
PPP2U045	SPRING BRAKE CONTROL VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR SEALCO® SPRING BRAKE PRIORITY"
PPP2U049	AIR DRYER ASSEMBLY (AD-IS) 12V	MULTIPLE APPLICATIONS	REPLACEMENT FOR BENDIX AD-IS™
PPP2U046	MODULATOR VALVE ASSY	2S/1M TRAILERS	ECU TRAILER ABS VALVE
PPP2G023	CLAMP-CONSTANT TORQUE, 3.125"	CT 300 L, CT 300 L SS HEAVY-DUTY CONSTRUCTION FOR USE ON LARGE DIAMETER APPLICATIONS 5/8"" (15.8 MM) BANDWIDTH FREIGHTLINER M2 106 (2012)	SAE SIZE: 312, MIN IN: 2-1/2", MIN MM: 57 MAX IN: 3-1/8", MAX MM: 79, DIMENSIONS - 2.250"-3.125" MATERIAL - STAINLESS STEEL
PPP2B004	12V SOLENOID VALVE	DANA/EATON MULTIPLE APPLICATIONS	REPLACEMENT FOR HALDEX® 12 VOLT, NORMALLY CLOSED
PPP2E006	DUST SHIELD	EB-165 & ES-165 MODELS W/ 16.5" EATON STANDARD & ES BRAKES	INCLUDES HARDWARE, OD: 18.25
PPP2G003	VALVE COOLANT	FITS PACCAR KENWORTH AND PETERBILT	3X3X5
PPP2U024	DISCHARGE HOSE	FREIGHLINER M2 106 (2012)	45 DEG.FEMALE SWIVEL BOTH ENDS STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM -65° TO 450° F INSIDE DIAMETER - 1/2", OUTSIDE DIAMETER - 5/8"
PPP2I023	AIR MANIFOLD	FREIGHTLINER CASCADIA MODELS	
PPP2U038	AIR PRESSURE SWITCH	FREIGHTLINER CENTURY & COLUMBIA	SUPPLY PORT: 1/8" NPT, ACTUATES AT: 65-75 PSI NORMALLY OPEN
PPP2G030	CLAMP CONSTANT TORQUE	FREIGHTLINER CENTURY, COLUMBIA, FLD, M2, CORONADO & CASCADIA	MIN: 2.56"/ 65.0875MM, MAX: 3.5"/88.9MM DIMENSIONS - 3.5", MATERIAL - STAINLESS STEEL
PPP2U036	RELAY VALVE R-7	FREIGHTLINER COLUMBIA 120 & COLUMBIA (2007)	DELIVERY: (2) 3/8", SUPPLY: 3/8", CONTROL: 1/4" BALANCE PORT: 1/4", SPRING BRAKE RELEASE PRESSURE: 95 PSI, REPLACEMENT FOR BENDIX R-7™ MODULATING, DIMENSIONS - 5-27/32" (HEIGHT)

AIR & BRAKE



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2E002	ABS SPEED SENSOR	FREIGHTLINER COLUMBIA 120 & COLUMBIA MODELS (2007)	REPLACEMENT FOR WABCO® BODY TYPE: 90°, RIGHT ANGLE, CABLE LENGTH 79" AND OAL 82" (CONNECTOR END TO SENSOR CENTER) CONNECTOR TYPE: BLACK CANNON DIMENSIONS - 78/1981MM"
PPP2E005	ABS SENSOR	FREIGHTLINER COLUMBIA 120 & COLUMBIA MODELS (2007)	REPLACEMENT FOR BENDIX®, REPLACEMENT FOR WABCO® BODY TYPE: 90°, RIGHT ANGLE 63"/1600MM, CONNECTOR TYPE: BLACK CANNON INCLUDES WIRING W/ SENSOR LUBE & 2 HALF MOON RETAINERS
PPP2U020	ST4 VALLVE	FREIGHTLINER M2 106 (2012)	REPLACEMENT FOR BENDIX ST-4™, PORTS: 1/4 NPT THREAD 150 PSI, NON-ADJUSTABLE, LOW PROFILE FOR AIR DRYERS PRESET AT 150 PSI
PPP2U012	AIR TOGGLE VALVE	KENWORTH, PETERBILT & VOLVO APPLICATIONS	REPLACEMENT FOR GT®, STYLE: AIR/ELECTRIC
PPP2U013	AIR TOGGLE VALVE	KENWORTH, PETERBILT, MACK & VOLVO APPLICATIONS, FREIGHTLINER COLUMBIA 120 & COLUMBIA (2007)	REPLACEMENT FOR GT®, STYLE: AIR ONLY
PPP2U047	AIR DRYER CARTRIDGE, COALESCING	KW T660, PTR 379	DIMENSIONS - 10.55X6X5.5
PPP2A021	BRAKE KIT	MULTIPLE FREIGHTLINER & VOLVO APPLICATIONS	DIAMETER: 16.50", FRONT MERITOR Q BRAKES, KIT TYPE: MEGA PLUS
PPP2I024	MANUAL DRAIN VALVE	MULTIPLE FREIGHTLINER APPLICATIONS	3/8" NPTM THREAD, PULL TYPE W/O CABLE
PPP2U014	SEALCO VALVE	MULTIPLE FREIGHTLINER APPLICATIONS MULTIPLE VOLVO APPLICATIONS	REPLACEMENT FOR SEALCO™, DELIVERY; 1/4' NPT SUPPLY 1/4" NPT, EXHAUST: 1/4" MANUAL PUSH/PULL KNOB, INCLUDES KNOB KIT
PPP2U002	FOOT VALVE	MULTIPLE FREIGHTLINER, INTERNATIONAL & VOLVO APPLICATIONS	REPLACEMENT FOR BENDIX E-6™, DUAL CIRCUIT VALVE DELIVERY PORTS (4): 3/8", SUPPLY PORTS (4): 3/8"
PPP2U041	QUICK RELEASE VALVE (QR-1C)	MULTIPLE FREIGHTLINER, INTERNATIONAL & VOLVO APPLICATIONS	1/4" NPT SUPPLY & BALANCE, 3/8" DELIVERY NEW, NO CORE CHARGE
PPP2A018	DISC PAD KIT	MULTIPLE FREIGHTLINER, INTERNATIONAL, KENWORTH, MACK & VOLVO APPLICATIONS	ADB22X™ & SB6000 FMSI 8479-D1369 INCLUDES 4 BRAKE PAD ASSEMBLIES & DAYCO HARDWARE KIT: 7 SPRINGS, 2 PINS, 2 WASHERS, 2 SPLIT PINS, 1 HEXAGONAL ADAPTER & 2 RUBBER CAPS, MEETS FMVSS NO121 STANDARD LEAFMARK LEVEL B COMPLIANT (CA & WA) EXTENDED ROTOR & PAD LIFE OVER OE BRAKE PADS, PASSES ECE R90 CERTIFICATION TESTING

AIR & BRAKE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2U029	MV-3 VALVE	MULTIPLE INTERNATIONAL & PETERBILT APPLICATIONS	REPLACEMENT FOR BENDIX MV-3™ MOUNTING HOLES (4): 0.28" OPEN DELIVERY PORTS (2): 3/8" PTC , SUPPLY PORTS (2): 3/8" PTC EXHAUST: 1/2" PTC
PPP2A027	DUST SHIELD	MULTIPLE INTERNATIONAL & VOLVO APPLICATIONS, FREIGHTLINER COLUMBIA 120 & COLUMBIA (2007)	DIMENSIONS: 16 1/2 X 7", MERITOR BRAKES P & Q SERIES
PPP2U015	PP1 VALVE	MULTIPLE INTERNATIONAL APPLICATIONS	REPLACEMENT FOR BENDIX PP-1™ DELIVERY: (2) 1/8" NPT, SUPPLY: 1/8" NPT EXHAUST: 1/8", POP PRESSURE: 35-40 PSI
PPP2U009	PURGE VALVE KIT	MULTIPLE INTERNATIONAL, FREIGHTLINER, KENWORTH & VOLVO APPLICATIONS	WORKS W/ BENDIX AD-IP™ & AD-IS™ AIR DRYERS PURGE VALVE ASSEMBLY KIT FOR ABOVE -40°C (-40°F). HIGH BOOST
PPP2U027	1/2X1/2 BALL VALVE	MULTIPLE INTERNATIONAL/KENWORTH/ PETERBILT APPLICATIONS	DIMENSIONS - 6.4" X 3.4" X 1.4", 0.5 LB
PPP2U048	AIR TANK, 9.5" X 24"	MULTIPLE KENWORTH & PETERBILT APPLICATIONS	AIR TANK, 9.5" X 24", DIMENSIONS - 21X9.625X9.625
PPP2U006	MV-3 VALVE	MULTIPLE KENWORTH APPLICATIONS	REPLACEMENT FOR BENDIX MV-3™ PTC, MOUNTING HOLES: M5 X .8X6 PORTS: 3/8" PTC, NEW, NO CORE CHARGE
PPP2U037	AIR BRAKE PRESSURE SWITCH	MULTIPLE KW & PTR APPLICATIONS	AIR BRAKE PRESSURE SWITCH, DIMENSIONS - 2X2X1
PPP2U004	CARTRIDGE	MULTIPLE APPLICATIONS	AIR DRYER CARTRIDGES ARE NEW WITH NO CORE CHARGES. ALL AIR CARTRIDGES INCLUDE A SEAL RING KIT TO ENSURE A PROPER FIT.
PPP2E010	ABS SPEED SENSOR W/ CABLE	MULTIPLE VOLVO APPLICATIONS	LENGTH: 72", 2 WIRE, CONNECTS WHEEL END TO ECU
PPP2U023	AIR TANK UBOLT	PETERBILT 357, 378, 379	
PPP2U043	AIR TANK U-BOLT	PETERBILT 357,378 & 379 SERIES	WORKS W/ 9.5" AIR TANKS, DIAMETER - 9.5"
PPP2H004	SWITCH-R134A LSLP	PETERBILT 388 - 2013	12MM-1.5 X 2-3/64IN LONG FEMALE, DIMENSIONS - 12 MM 1.5" X 2-3/64" LONG FEMALE, 0.1 LB"

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R007	WASHER TANK	MULTIPLE APPLICATIONS	WORKS W/ 600228S PUMP
PPP2R021	CLEAR LED CAB LAMP	MULTIPLE APPLICATIONS	
PPP2R023	HALOGEN HLAMP BULB	MULTIPLE APPLICATIONS	HALOGEN, 12.8V/65W
PPP2S008	DOCUMENT HOLDER	MULTIPLE APPLICATIONS	TUBE STYLE W/ BRACKET, MATERIAL - ALUMINUM
PPP2S025	ANTI-SAIL HOLD DOWN (EA)	MULTIPLE APPLICATIONS	DIMENSIONS - 21" X 24", MATERIAL - STAINLESS STEEL
PPP2S006	CHROME AXLE COVER SET	ALL MAKES & MODELS	INCLUDES 4 REAR, 2 FRONT & 60 NUT COVERS NUT COVERS 33 MM HEIGHT, CHROME ABS PLASTIC
PPP2R054	WIPER MOTOR AND LINKAGE	FREIGHTLINER CASCADIA	
PPP2R061	SIDE MARKER LAMP	FREIGHTLINER CASCADIA	W/O ADHESIVE BACKING
PPP2G037	FILLER CAP	FREIGHTLINER CASCADIA	
PPP2B019	MARKER LAMP	FREIGHTLINER CASCADIA	
PPP2R076	SPLASH SHIELD CAB MOUNTED RH	FREIGHTLINER CASCADIA (2007 & UP)	CAB MOUNTED, MOUNTING - CAB MOUNTED ORIENTATION - PASSENGER - RH
PPP2S022	BUMPER END REINFORCEMENT LH	FREIGHTLINER CASCADIA (2008-2014)	1 PIECE DESIGN, ORIENTATION - PASSENGER - RH
PPP2S015	BUMPER ASSY W/O FOG LAMP HOLES	FREIGHTLINER CASCADIA (2008-2017)	3 PIECE BUMPER, COLOR: GREY, BRACKETS 21-27302-000, NOT INCLUDED
PPP2R062	TURN SIGNAL MARKER LIGHT	FREIGHTLINER CASCADIA (2008-2017)	FLAT WASHER SOLD SEPARATELY (23-10900-028)
PPP2B013	FOG LAMP	FREIGHTLINER CASCADIA (2009-2012), FREIGHTLINER CASCADIA 113 & CASCADIA 125 (2008-2017)	ORIENTATION - DRIVER - LH
PPP2R072	HOOD MIRROR BLACK RIGHT	FREIGHTLINER CASCADIA (2018 & UP)	

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R075	HOOD MIRROR BLACK LEFT	FREIGHTLINER CASCADIA (2018 & UP)	
PPP2R068	HEADLAMP ASSEMBLY	FREIGHTLINER CASCADIA & CASCADIA 125 (2008-2017), FREIGHTLINER CASCADIA 113 (2009-2017)	HIGH PERFORMANCE, PROJECTION STYLE LAMP SLIGHT VISUAL DIFFERENCE FROM OEM, RECOMMENDED TO REPLACE IN PAIRS DOT / SAE COMPLIANT, PLUG AND PLAY ASSEMBLY, NO PROGRAMMING REQUIRED MADE OF IMPACT RESISTANT POLYCARBONATE LENS ORIENTATION - LH
PPP2R081	SPLASH SHIELD CAB MOUNTED LH	FREIGHTLINER CASCADIA (2007 & UP)	MOUNTING - CAB MOUNTED ORIENTATION - DRIVER - LH
PPP2B011	FOG LAMP	MULTIPLE FREIGHTLINER APPLICATIONS	ORIENTATION - PASSENGER - RH
PPP2R074	WINDSHIELD SEAL	FREIGHTLINER CASCADIA (2008 AND UP)	34X14X4
PPP2R065	HEAD LAMP ASSEMBLY	FREIGHTLINER CASCADIA (2008-2017)	HIGH PERFORMANCE, PROJECTION STYLE LAMP SLIGHT VISUAL DIFFERENCE FROM OEM, RECOMMENDED TO REPLACE IN PAIRS, DOT / SAE COMPLIANT, PLUG AND PLAY ASSEMBLY, NO PROGRAMMING REQUIRED, MADE OF IMPACT RESISTANT POLYCARBONATE LENS ORIENTATION - PASSENGER - RH
PPP2S020	BUMPER END REINFORCEMENT RH	FREIGHTLINER CASCADIA (2008-2017)	ORIENTATION - PASSENGER - RH
PPP2S016	BUMPER KIT W/O FOG LIGHT	FREIGHTLINER CASCADIA (2018 & UP)	
PPP2R063	CAB SPLASH GUARD RH	FREIGHTLINER CASCADIA (2018 & UP)	
PPP2R064	CAB SPLASH GUARD LH	FREIGHTLINER CASCADIA (2018 & UP)	
PPP2S018	BUMPER W/ FOG LIGHTS	FREIGHTLINER CASCADIA (2018 & UP)	
PPP2R058	HOOD TILT SHOCK	FREIGHTLINER CASCADIA 113 AND 125	SPRING-TILT ASSIST, DIAMETER 1.109" COLLAPSED: 23.937", EXTENDED: 34.000"
PPP2R055	MAGNET KICK PLATE LATCH	FREIGHTLINER CASCADIA 125	DIMENSIONS - 0.5 × 0.5 × 0.25 IN

BODY PARTS





PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R079	HEADLAMP ASSY HALOGEN RIGHT	FREIGHTLINER CASCADIA 126 (2018-PRESENT)	DIMENSIONS - 28.99" X 15" X 14"
PPP2R080	HEADLAMP ASSY HALOGEN LEFT	FREIGHTLINER CASCADIA 126 (2018-PRESENT)	DIMENSIONS - 28.99" X 15" X 14"
PPP2R057	CAB ROOF MARKER LIGHT	FREIGHTLINER CASCADIA	LED, HOUSING : PLASTIC, LENS COLOR : AMBER VOLTAGE : 12V
PPP2S017	BUMPER BRACKET RECEPTACLE	FREIGHTLINER CASCADIA (2008 -2018)	WORKS EXCLUSIVELY W BUMPERS, A21-28546-052 & A21-28546-054, EACH SIDE SOLD SEPERATELY
PPP2L011	FUEL CAP	FREIGHTLINER CASCADIA FLD, COLUMBIA, CENTURY	3", NON-LOCKING, VENTED, 1/4 TURN FEMALE THERMAL RELIEF, MATERIAL : ALUMINUM
PPP2R048	HOOD LATCH LH	FREIGHTLINER CASCADIA MODELS (2008-2017)	ORIENTATION - DRIVER - LH
PPP2R049	HOOD LATCH RH	FREIGHTLINER CASCADIA MODELS (2008-2017)	ORIENTATION - PASSENGER - RH
PPP2S019	GRILLE W/ BUG SCREEN CHROME	FREIGHTLINER CASCADIA, CASCADIA 113 & CASCADIA 125 (2008-2017)	POSITION: FRONT, W/O AERO PACKAGE, DIMENSIONS - 57.4" X 34.5", MATERIAL - CHROME
PPP2R073	WIPER ARM NOZZLE	FREIGHTLINER CASCADIA, CASCADIA 113 & CASCADIA 125 (2009-2012)	
PPP2L010	LOCKING FUEL CAP W/KEYS	FREIGHTLINER CASCADIA, FLD, COLUMBIA, CENTURY	3", LOCKING W/ KEYS, VENTED, 1/4 TURN FEMALE THERMAL RELIEF, MATERIAL : ALUMINUM
PPP2R050	PEDAL PAD	FREIGHTLINER CENTURY CLASS & M2	
PPP2R070	WINDOW REGULATOR LH	FREIGHTLINER CENTURY (2003-2010) FREIGHTLINER COLUMBIA (1997-2011), FREIGHTLINER CST112, C112, CST120 & C120 (1997-2011) FREIGHTLINER ARGOSY (1997-2006)	ORIENTATION: DRIVER - LH, ELECTRIC/MANUAL: ELECTRIC, ATTACHMENT TYPE: BOLT ON GEAR MATERIAL: PLASTIC REGULATOR INCLUDED: YES
PPP2R056	STRIKER PIN KIT	FREIGHTLINER CENTURY, COLUMBIA & FLD	
PPP2R077	LATCH HOOD COWL	FREIGHTLINER CLASSIC & FLD (2003-2008)	POSITION: RIGHT & LEFT HAND, RUST-RESISTANT HARDENED PLASTIC HOUSING ENHANCES DURABILITY
PPP2R047	HOOD LATCH	FREIGHTLINER COLUMBIA	

BODY PARTS



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R067	HEADLAMP LH	FREIGHTLINER COLUMBIA (2004-2018), FREIGHTLINER COLUMBIA 112 & COLUMBIA 120 (2004-2018) FREIGHTLINER M2 112 (2013)"	ORIENTATION - DRIVER - LH
PPP2R066	HEADLAMP RH	FREIGHTLINER COLUMBIA (2004-2018), FREIGHTLINER COLUMBIA 112 & COLUMBIA 120 (2004-2018) FREIGHTLINER M2 112 (2013)	ORIENTATION - PASSENGER - RH
PPP2R078	HOOD LATCH	FREIGHTLINER FL 106, FL 112, FL50-80 & M2	
PPP2S021	GRILLE ISOLATOR	FREIGHTLINER FLD	4 USED PER GRILLE
PPP2B018	LED MARKER LAMP	FREIGHTLINER M2 MODELS	LED, HOUSING : PLASTIC, LENS COLOR : AMBER LENS MATERIAL : PLASTIC, DOT APPROVED
PPP2R053	HEADLAMP. LH	FREIGHTLINER M2-106, M2, M2 100, & M2-112 2002 - 2018)	ORIENTATION - DRIVER - LH
PPP2R059	HEADLAMP ASSEMBLY LED LEFT	FRT CASCADIA 126-18 UP LED	LED HEAD LAMPS ARE ESSENTIAL FOR ANY TRUCK, BUT ESPECIALLY FOR DRIVERS WHO FREQUENTLY ENCOUNTER DIMLY LIT ROADS IN POOR DRIVING CONDITIONS.
PPP2R060	HEADLAMP ASSEMBLY LED RIGHT	FRT CASCADIA 126-18 UP LED	LED HEAD LAMPS ARE ESSENTIAL FOR ANY TRUCK, BUT ESPECIALLY FOR DRIVERS WHO FREQUENTLY ENCOUNTER DIMLY LIT ROADS IN POOR DRIVING CONDITIONS.
PPP2B009	OVAL CAB MARKER LIGHT, LED	MULTIPLE INTERNATIONAL APPLICATIONS	LED, HOUSING : PLASTIC LENS COLOR : AMBER, LENS MATERIAL : PLASTIC VOLTAGE : 12V
PPP2R031	WIPER NOZZLE KIT IHC	MULTIPLE INTERNATIONAL APPLICATIONS	
PPP2R038	WIPER ARM LH	MULTIPLE KENWORTH APPLICATIONS	LEFT HAND WIPER ARM, DIRECT FIT EASY INSTALLATION, SOLD SEPERATLY
PPP2R042	WIPER ARM, RH	KENWORTH T600 MODELS (1985) KENWORTH T600A MODELS (1986-2007), KENWORTH T800 MODELS (1985-2015), KENWORTH W900 MODELS (1985-2015)	RIGHT HAND WIPER ARM, DIRECT FIT EASY INSTALLATION, SOLD SEPERATLY
PPP2L008	FUEL TANK STEP	KENWORTH C500, K100, K300, T170, T2000, T270, T300, T370, T400, T440, T450, T600A, T660, T800 & W900 MODELS (1996-2012)	DIMENSIONS - 34" X 9.5", MATERIAL - ALUMINUM

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R015	HEADLIGHT BEZEL	KENWORTH C500, T600 & T800 MODELS, PETERBILT 379 SERIES FREIGHTLINER FLD120	MATERIAL - CHROME, ORIENTATION - LH/RH
PPP2R051	HEADLAMP LH	KENWORTH T170, T270, T370 & T660 MODELS	DIMENSIONS - 28X15X14 ORIENTATION - DRIVER - LH
PPP2R052	HEADLAMP RH	KENWORTH T170, T270, T370 & T660 MODELS	HEADLAMP, RH, DIMENSIONS - 28X15X14 ORIENTATION - PASSENGER - RH
PPP2R014	MIRROR COVER	KENWORTH T170, T370, T600, T600A & T660 MODELS	MATERIAL - CHROME, ORIENTATION - DRIVER - LH
PPP2R112	MIRROR HEAD COVER, RH	KENWORTH T170, T370, T600, T600A & T660 MODELS	RH PASSENGER SIDE, MATERIAL - CHROME ORIENTATION - PASSENGER - RH
PPP2R013	MIRROR BEZEL ASSY	KENWORTH T170, T370, T600, T660, T700 & T2000 MODELS	HEATED, SMALL MIRROR S-21609 AVAILABLE SEPARATELY
PPP2R039	LARGE MIRROR	KENWORTH T170, T370, T600, T660, T700 & T2000 MODELS	HEATED
PPP2R040	CONVEX MIRROR	KENWORTH T170, T370, T600, T660, T700 & T2000 MODELS PETERBILT 387 MODELS	AVAILABLE SEPARATELY, ORIENTATION - LH/RH
PPP2R099	HOOD HOLD DOWN KIT	KENWORTH T300 (1987-2011), T600, T800 & W900 MODELS PETERBILT 357, 359, 367, 377-379, 388 & 389 SERIES (1987-2011)	INCLUDES HOOD STRAPS S-18892 (L56-0001)
PPP2R114	DOOR HANDLE, LH INTERIOR	KENWORTH T300, T450, T600A, T800 & W900 MODELS (1995 - 2002)	ORIENTATION - DRIVER - LH,BLACK FINISH
PPP2R030	WINDOW REGULATOR	KENWORTH T2000 MODELS (2003-2010), PETERBILT 386 SERIES (2006-2009), PETERBILT 387 SERIES (2006-2010)	ORIENTATION: DRIVER - LH, ELECTRIC/MANUAL: ELECTRIC ATTACHMENT TYPE: BOLT ON, GEAR MATERIAL: PLASTIC REGULATOR INCLUDED: YES
PPP2R009	WINDOW REGULATOR LH	KENWORTH T600 MODELS (2004-2011), KENWORTH T800 & W900 MODELS (2009-2010)	ORIENTATION: DRIVER - LH, ELECTRIC/MANUAL: ELECTRIC ATTACHMENT TYPE: BOLT ON, GEAR MATERIAL: PLASTIC REGULATOR INCLUDED: YES
PPP2R010	WINDOW REGULATOR RH	KENWORTH T600 MODELS (2004-2011), KENWORTH T800 & W900 MODELS (2009-2010)	ORIENTATION: DRIVER - RH, ELECTRIC/MANUAL: ELECTRIC ATTACHMENT TYPE: BOLT ON, GEAR MATERIAL: PLASTIC REGULATOR INCLUDED: YES
PPP2R002	HOOD LATCH	KENWORTH T600, T600A, T800, W900 & W900B MODELS (1985-2005)	

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R001	HOOD POST	KENWORTH T600, T600A, T800, T2000 & W900 MODELS (2003 - 2010)	LENGTH: 4 1/8", SMALL O.D.: 1 1/2" LARGE O.D.: 3 1/4", THREAD SIZE: 1/2"-13 MATERIAL - POLYURETHANE
PPP2L001	FUEL CAP	KENWORTH T600, T660, T800, W900, W900B & W900L MODELS	3", NON-LOCKING, VENTED, # OF THREADS: 5.5 CUSTOM, MATERIAL : ALUMINUM
PPP2R017	LH HEADLAMP	KENWORTH T600, T800 & W900 MODELS (1981-2019)	ORIENTATION - DRIVER - LH
PPP2R018	RH HEADLAMP	KENWORTH T600, T800 & W900 MODELS (1981-2019)	ORIENTATION - PASSENGER - RH
PPP2J004	SHIFT BOOT	KENWORTH T600A, T600B, T800, T400, T450, T660 & T2000 SERIES (1999-2011) KENWORTH T170, T270, T300, T370 & W900 SERIES (1999-2010)	SQUARE TOP
PPP2S007	BUMPER BRACKET	KENWORTH T660 MODELS	WORKS W/ OEM BUMPER
PPP2R027	HOOD LATCH	MULTIPLE APPLICATIONS	ORIENTATION - LH/RH"
PPP2R019	LH SIDE MARKER LAMP	KENWORTH T660 MODELS (2008-2019), PETERBILT 579 & 587 SERIES (2008-2019)	USES BULB H3-55, ORIENTATION - LH/RH
PPP2S013	DECK PLATE BRACKET	KENWORTH T680	DIMENSIONS - 4X2X2
PPP2R044	MIRROR ASSEMBLY, RH	KENWORTH T680	
PPP2R011	MIRROR COVER LH	KENWORTH T680 & T880 MODELS	BLACK FINISH, ORIENTATION - DRIVER - LH
PPP2R012	MIRROR COVER RH	KENWORTH T680 & T880 MODELS	BLACK FINISH, ORIENTATION - PASSENGER - RH
PPP2R106	MIRROR COVER, RH	KENWORTH T680 & T880 MODELS	CHROME FINISH, MATERIAL - CHROME ORIENTATION - PASSENGER - RH
PPP2R109	HEADLAMP, LH	KENWORTH T680 (2013-2021)	
PPP2R110	HEADLAMP, RH	KENWORTH T680 (2013-2021)	
PPP2R032	LH WIPER ARM	KENWORTH T680 MODELS	

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R069	ROOF MARKER LAMP, LED	KENWORTH T680 MODELS	LED, LENS COLOR : AMBER
PPP2S026	1 PIECE BUMPER	KENWORTH T680 MODELS	INCLUDES TOW HOOK HOLES, CHROME FINISH MATERIAL - CHROME
PPP2R108	HEADLAMP SET, RH/LH	KENWORTH T680 MODELS (2013 & LATER)	BLACK HOUSING, LED LIGHT BAR
PPP2R016	SIDE MARKER LED AMP	KENWORTH T680, T700 & T880 MODELS	LED, HOUSING : PLASTIC LENS COLOR: CLEAR, LENS MATERIAL : PLASTIC VOLTAGE : 12V, MATERIAL - PLASTIC
PPP2R045	MIRROR ASSEMBLY, LH	KENWORTH T680, T880	
PPP2R005	HOOD LATCH	KENWORTH T880 VOCATIONAL MODELS	
PPP2R006	HOOD LATCH	KENWORTH T680 AERO MODELS	
PPP2R034	HOOD BUSHING	KENWORTH W900 MODELS PETERBILT T379 SERIES	I.D.: 0.5", HEIGHT: 0.625" LENGTH: 2.23", WIDTH: 1.95", SMALL O.D.: 1.13"
PPP2R026	WIPER SWITCH	KW T300/T400/T450	3X3X3
PPP2R046	WINDSHIELD WASHER PUMP	MULTIPLE FREIGHTLINER APPLICATIONS	
PPP2R071	KEY DOOR/IGNITION	MULTIPLE FREIGHTLINER APPLICATIONS (2000 & UP) FREIGHTLINER M2 106 (2012)	
PPP2R101	HOOD ROLLER	MULTIPLE KENWORTH & PTR APPLICATIONS	DIMENSIONS - 7.25" X 3.3" X 1.2" 0.05 LB"
PPP2R004	WASHER PUMP	MULTIPLE KENWORTH APPLICATIONS	INCLUDES GROMMETS (012-513 & 012-512)
PPP2J005	SHIFT BOOT	MULTIPLE KENWORTH APPLICATIONS	
PPP2R113	IGNITION AND DOOR KEY, BLANK	MULTIPLE KENWORTH APPLICATIONS	
PPP2R003	WASHER PUMP	MULTIPLE PETERBILT & KENWORTH APPLICATIONS, W/GROMMET	INCLUDES GROMMET

BODY PARTS



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2L004	PETE FUEL CAP GASKET	MULTIPLE PETERBILT APPLICATIONS	WORKS W/ 11-04859-100 & 11-04859-200
PPP2L007	PETE 4" NON LOCKING FUEL CAP	MULTIPLE PETERBILT APPLICATIONS	4" LEVER STYLE NON-LOCKING, VENTED MATERIAL : ALUMINUM
PPP2L005	PETE 4' LOCKING FUEL CAP	MULTIPLE PETERBILT APPLICATIONS	4" LEVER LOCKING W/ KEYS, VENTED MATERIAL : ALUMINUM
PPP2L012	TANK STRAP ISOLATOR	PETERBILT 330, 335, 337, 348, 357, 359, 377, 378, 379, 567, 579 & 587 SERIES	7' PIECE, DIMENSIONS - WIDTH: 3.75"
PPP2R020	LED SIDE MARKER PETE	PETERBILT 330, 335, 337, 348, 357, 359, 377, 378, 379, 567, 579 & 587 SERIES (2006-2014)	LED, HOUSING : PLASTIC LENS COLOR : AMBER, LENS MATERIAL : PLASTIC VOLTAGE : 12V, SOLD IN SETS OF 2
PPP2R037	HOOD BUSHING	PETERBILT 330, 335, 337, 357, 377, 378, 379 MODELS	CENTER HOOD REST
PPP2R084	STRIKER PIN	PETERBILT 330, 335, 378 & 379 SERIES	
PPP2R104	DOOR HANDLE	PETERBILT 330, 357, 362, 375, 377, 378, & 379 SERIES (1983-2005) VOLVO VN1 & VN2	ORIENTATION - DRIVER - LH
PPP2R100	HOOD PIVOT BUSHING	PETERBILT 335, 379 AND 387 SERIES	POLYURETHANE, WEIGHT = 1.42 LB. LENGTH: 1.8125, WIDTH: 1.8125, HEIGHT: 4.125
PPP2R041	DOOR CHECK KIT	PETERBILT 357 (1996-87), 377 (1996-87), 378 (1988-87), 379 (2005-2003)	DIMENSIONS - 4X5X2
PPP2G040	RADIATOR MOUNT 2 PACK	PETERBILT 357, 359, 362, 377, 378, 379, 385 SERIES	QTY PK: 2
PPP2R029	HOOD LATCH BRACKET	PETERBILT 357, 359, 367, 377-379, 388 & 389 SERIES (1987-2011) KENWORTH W900, T600, T300 & T800 MODELS (1987-2011)	
PPP2R102	WINDOW REGULATOR LH	PETERBILT 357, 365, 367, 378, 379, 388 & 389 SERIES (2007-2017)	ORIENTATION: DRIVER - LH ELECTRIC/MANUAL: ELECTRIC ATTACHMENT TYPE: BOLT ON GEAR MATERIAL: PLASTIC REGULATOR INCLUDED: YES
PPP2R082	CABLE HOOD RESTRAINT	PETERBILT 357, 367, 375, 377, 378 & 379 SERIES (1987-2005)	

BODY PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R008	HOOD LATCH	PETERBILT 357, 367, 377-379, 388 & 389 SERIES (1987-2011) KENWORTH T600, W900, T300, T600A, & T800 MODELS (1986-2018)	
PPP2R092	HOOD SPRING	PETERBILT 357, 377 & 379 SERIES (1987-2008)	BLUE SPRING, FOR USE WITH 119" HOOD LENGTH: 20.710"
PPP2R095	DOOR LATCH	PETERBILT 359, 387 & 379 SERIES PETERBILT 370 SERIES (2005 & BEFORE)	ORIENTATION - DRIVER - LH
PPP2R085	WASHER FLUID PUMP	PETERBILT 370 SERIES (1986 & UP)	
PPP2R103	HOOD SPRING STUD	PETERBILT 378 SERIES (1987 – 2007), PETERBILT 379 119BBC SERIES (1987-2007), PETERBILT 379 127BBC SERIES (1987-2007)	FOR HOOD SPRING AND CABLE – MOUNTS TO RADIATOR, 1/2 – 20IN
PPP2R096	FENDER	PETERBILT 379 MODELS	PRE-DRILLED, SHIPS IN PACKS OF 3 UNLESS SPECIFIED, MATERIAL - ALUMINUM ORIENTATION - DRIVER - LH
PPP2R096	FENDER	PETERBILT 379 MODELS	PRE-DRILLED, SHIPS IN PACKS OF 3 UNLESS SPECIFIED, MATERIAL - ALUMINUM. ORIENTATION - DRIVER - LH
PPP2R098	FENDER LINER	PETERBILT 379 MODELS	SOLD SINGLE OR IN PACKS OF 3 ALSO KNOWN AS ROCK GUARD OR FENDER SHIELD. POLY/PLASTIC, SEMI FLEXIBLE, FORMED TO FIT IN ALUMINUM OR FIBERGLASS FENDERS MATERIAL - POLYURETHANE ORIENTATION - LH/RH
PPP2R033	HOOD BUSHING	PETERBILT 379 SERIES	THICKNESS: 7/16", 1/2" BOLT, OUTSIDE DIAMETER - SMALL OD 1 3/16", LARGE OD 1 3/4"
PPP2R043	HOOD PIVOT BOLT KIT	PETERBILT 379 SERIES	
PPP2R086	HOOD REST	PETERBILT 379 SERIES	
PPP2R093	HOOD PIVOT ASSY RH	PETERBILT 379 SERIES	ORIENTATION - PASSENGER - RH
PPP2R094	HOOD PIVOT ASSY LH	PETERBILT 379 SERIES	ORIENTATION - DRIVER - LH
PPP2R087	WIPER ARM	PETERBILT 379 SERIES (1990-2007)	SAME ARM FOR BOTH LEFT & RIGHT SIDE

BODY PARTS



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2R089	DOOR SEAL	PETERBILT 379 SERIES (2005 & BEFORE)	LENGTH: 162.50"
PPP2R105	HOOD ROLLER	PETERBILT 379 KENWORTH T300/600B/800/W900	DIMENSIONS - 1.56" X 1.43" X 1.43" 0.06 LB
PPP2R025	WIPER MOTOR	PETERBILT 379, 384, 386,388, 389 MODELS	WIPER ASSEMBLY W/ 5 PIN CONNECTOR
PPP2S005	CONSPICUITY STRIPS	UNIVERSAL APPLICATIONS	SOLD IN PAIRS RT25L & RT25R REFLECTIVE TAPE STRIPS, WORKS W/ STRAIGHT MUDFLAP HANGERS DOT CERTIFIED
PPP2S012	MUDFLAP HANGER SET	UNIVERSAL APPLICATIONS	0.640 SQUARE STEEL, SHOT PEENED & PAINTED INTERCHANGEABLE HANGERS & BRACKETS INCLUDES MOUNTING BRACKETS, MUD FLAP HANGERS, ADJUSTABLE FLAP CLIPS, COTTER PINS & MOUNTING HARDWARE FOR FLAP & BRACKET NOMINAL LENGTH: 29.75", DIMENSIONS - 29.75" MATERIAL - STEEL
PPP2S014	FENDER SET	UNIVERSAL APPLICATIONS	INCLUDES LEFT & RIGHT FENDERS & CLAMP DIMENSIONS: 24", HIGH IMPACT PLASTIC
PPP2R107	MIRROR	MULTIPLE APPLICATIONS	

CLUTCH PARTS

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2J010	2" HINGED CLUTCH BRAKE	MULTIPLE APPLICATIONS	DIMENSIONS - 2" (0.550" THICK) 2 23/32"-2 49/64"
PPP2J002	LH CLUTCH ROD END	MULTIPLE KENWORTH MODELS	3/8-24" INNER THREAD, HEIM JOINTS, FEMALE LH ROD END: K124-402-2, ROD ASSEMBLY: K202-2503-0498 ORIENTATION - LH
PPP2J003	RH CLUTCH ROD END	MULTIPLE KENWORTH MODELS	3/8-24" INNER THREAD, HEIM JOINTS, FEMALE RH ROD END: K124-402-1, ROD ASSEMBLY: K202-2503-0498 ORIENTATION - RH
PPP2J017	CLUTCH LINKAGE	MULTIPLE PETERBILT APPLICATIONS	
PPP2J018	CLUTCH PEDAL SPRING	MULTIPLE PETERBILT APPLICATIONS	WORKS W/ MANUAL CLUTCH, 6.750" INNER EYELET EDGE TO EDGE DISTANCE
PPP2J008	CROSS SHAFT	MULTIPLE APPLICATIONS	
PPP2J016	CLUTCH SHAFT LEVER	PETERBILT 357, 375, 379, 385 & 387 MODELS FULLER RT, RTO & RTLO TRANSMISSIONS	WORKS W/ 06-00910M014
PPP2J019	CLUTCH PEDAL PAD	PETERBILT 357, 378 & 379 MODELS	
PPP2J014	CLUTCH ROD END	PETERBILT 379, 387 SERIES	LH, MALE THREAD, VIBRATION CONTROL OIL RESISTANT ELASTOMER"
PPP2J013	CLUTCH RELEASE SHAFT	PETERBILT 387 MODEL	LENGTH: 9.625"
PPP2J009	2" 2 PIECE CLUTCH BRAKE	UNIVERSAL	14" & 15 1/2" CLUTCHES, ALLEN SCREWS TO SECURE/CLOSE INSIDE DIAMETER: 2", THICKNESS: 0.380", 2.500"-2.570" DIMENSIONS - INSIDE DIAMETER: 2" THICKNESS: 0.380", 2.500"-2.570"

DRIVELINE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2C001	UNIVERSAL JOINT	FREIGHTLINER, MACK, TRW,	BEARING TYPE - OSR DIMENSIONS - BEARING PLATE DIMENSION: 1.906" BEARING CAP DIAMETER: .750"

DRIVETRAIN





PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2E001	PINION SEAL AND NUT	REPLACEMENT DANA/EATON R/D170, R/D190 & D AXLE MODELS	ONLY D INPUT/ REAR PINION MODEL
PPP2O001	HUBCAP GASKET	MULTIPLE APPLICATIONS	
PPP2E009	GASKET AXLE STOP	DANA EATON 150, 160, 175 & 180 AXLE MODELS FREIGHTLINER COLUMBIA 120 & COLUMBIA (2007)	7" BOLT HOLE CIRCLE DIAMETER, 5/8" HOLES DIMENSIONS - 7 BOLT HOLE CIRCLE DIAMETER
PPP2S011	HOLLAND LH REBUILD KIT	HOLLAND & FONTAINE FIFTH WHEEL	
PPP2J001	INSTALL KIT	FULLER 11609, 12509, 12510, 12513, 12515, 14609, 14610, 14613 & 14615	FULLER RT SERIES W/ 2" CLUTCH BRAKE - HINGED BRAKE DESIGN, (KITS NOW AVAILABLE FOR FULLER FR & RT SERIES, STANDARD & HYDRAULIC RELEASE, SEVERE DUTY RT PTO APPLICATIONS & MACK)

ELECTRICAL

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2B005	JUNCTION/TERMINAL BOX	MULTIPLE APPLICATIONS	INCLUDES NUTS, LOCKWASHERS, GROMMETS & STRAIN RELIEF CLAMPS
PPP2U040	SWITCH, PARKING BRAKE LIGHT	MULTIPLE APPLICATIONS	PORTS: 1/8 NPT SUPPLY,75 PSI 2 BLADE TERMINALS, SEALED NON-REBUILDABLE STYLE
PPP2B012	WINDOW SWITCH RH	MULTIPLE APPLICATIONS	DRIVER'S SIDE TO OPERATE THE PASSENGER WINDOW COLOR/FINISH: BLACK, CONNECTOR GENDER: FEMALE HOUSING MATERIAL: PLASTIC, ILLUMINATED: YES TERMINAL GENDER: MALE, TERMINAL TYPE: PIN WIRING HARNESS INCLUDED: NO
PPP2B022	MOMENTARY SWITCH	MULTIPLE APPLICATIONS	70 PSI
PPP2B028	WINDOW SWITCH	MULTIPLE APPLICATIONS	WINDOW LIFT SWITCH DRIVESIDE PETERBILT DRIVER WINDOW LIFT SWITCH, 365/67/84/86/87
PPP2B010	MICRO RELAY	FREIGHTLINER CASCADIA & COLUMBIA FREIGHTLINER M2 106 (2012)	12 VOLTS, 35 AMP, MICRO DESIGN
PPP2U039	CUT-OFF SWITCH	FREIGHTLINER CENTURY CLASS & COLUMBIA	NORMALLY CLOSED, 1/8" NPT SUPPLY PORT
PPP2B008	SWITCH W/ WIPER CONTROL	M2 106/M2 112/M2 BUSINESS CLASS	SWITCH WITH WIPER CONTROL, DIMENSIONS - 12" X 4.8" X 4"
PPP2B001	RELAY	MULTIPLE FREIGHTLINER AND PETERBILT APPLICATIONS	5 TERMINAL, 10 AMP, 12 VOLT
PPP2B002	TURN SIGNAL SWITCH	KENWORTH T370, T440, T660 & T380 MODELS, PETERBILT 330, 337, 365, 367, 379 & 567 SERIES	8 WIRE W/HARNESS
PPP2B015	CLUTCH STARTER SAFETY SWITCH	PETERBILT & KENWORTH TRUCKS EQUIPPED W/ JAKE BRAKE PETERBILT 378 & 379 SERIES (1985-2007)	APPLICATIONS EQUIPPED W/ JAKE BRAKE
PPP2B021	RELAY	PETERBILT 330, 340, 357, 375, 377, 378, 386 & 389 SERIES	2 PRONG, 2 TERMINAL BOSCH TYPE
PPP2B029	SWITCH, WINDOW PASSENGER LIFT	PETERBILT 337, 348 (2018 - 2019)	SWITCH, WINDOW PASSANGER LIFT, DIMENSIONS - 3X3X3
PPP2B020	TOGGLE SWITCH	PETERBILT 348, 349, 359, 362, 377, 378 & 379 SERIES	
PPP2B023	TOGGLE SWITCH	PETERBILT 348, 349, 359, 362, 377, 378 & 379 SERIES	
PPP2B017	MIRROR SWITCH	STERLING, FREIGHTLINER CASCADIA, CASCADIA 113 & CASCADIA 125 (2007-2017)	

ENGINE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2I002	ENGINE MOUNT	MULTIPLE APPLICATIONS	O.D.: 3.5", I.D.: 0.5"
PPP2L002	FUEL TANK ISOLATOR	MULTIPLE APPLICATIONS	WORKS W/ K84-1013-006 STRAP
PPP2G009	CAC HOSE	MULTIPLE APPLICATIONS	INSIDE DIAMETER: 4", LENGTH: 6" TURBO HOSE, HOT AIR RETURN
PPP2G012	COOLANT HOSE	MULTIPLE APPLICATIONS	ACTUAL BURST PRESSURE - PSI: 225 BURST PRESSURE - PSI: 225 (SAE J20 R1) LENGTH : 3', I.D: 2.25", O.D: 2 5/8", SIZE: -36
PPP2G013	COOLANT TUBE, 1.25"	MULTIPLE APPLICATIONS	DIAMETER: 1.25", STAINLESS STEEL
PPP2I011	ISX FLYWHEEL	MULTIPLE APPLICATIONS	12 BOLT HOLES, 15 CLUTCH RING GEAR 113 TEETH, PILOT BEARING 306
PPP2I016	ENGINE MOUNT	MULTIPLE APPLICATIONS	
PPP2I017	CUMMINS OIL PAN GASKET	MULTIPLE APPLICATIONS	DIMENSIONS - 48X2X18
PPP2I019	IDLER PULLEY	MULTIPLE APPLICATIONS	CUMMINS ISX ENGINE MODELS
PPP2I020	BELT TENSIONER	MULTIPLE APPLICATIONS	O.D. 75MM, WIDTH: 40MM
PPP2G026	CHARGE AIR COOLER KIT	MULTIPLE APPLICATIONS	CONTAINS: (2) CHARGE AIR COOLER HOSE, HOT AIR RETURN, 4", (2) CHARGE AIR COOLER HOSE, COLD AIR RETURN, 4", (8) CLAMP, 4"
PPP2G029	CAC HOSE	MULTIPLE APPLICATIONS	INSIDE DIAMETER: 4", LENGTH: 6.5" COLD AIR RETURN"
PPP2I027	MOTOR MOUNT	MULTIPLE PETERBILT APPLICATIONS	ID 13/16" SMALL OD 1 5/8" LARGE OD 2 3/4" LENGTH 2 3/8"
PPP2G042	CAC HOSE 4"	MULTIPLE APPLICATIONS	INSIDE DIAMETER: 4", LENGTH: 6" TURBO HOSE, COLD AIR RETURN
PPP2I031	GASKET, DPF	VOLVO D ENGINE MODELS	
PPP2I033	EXHAUST MANIFOLD GASKET, DPF	VOLVO D13 ENGINE MODELS	

ENGINE



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2I026	ENGINE MOUNT	379 SERIES	TWO PIECE DESIGN, 5/8" INNER DIAMETER DIMENSIONS - 20 5/8 X 25 INLET/OUTLET - INLET/OUTLET: 2.25/2.25 INSIDE DIAMETER - 42498"
PPP2I009	EGR PRESSURE SENSOR	CUMMINS ISX, ISM, ISC, ISB ENGINE MODELS	
PPP2G022	WATERPUMP DETROIT	FREIGHTLINER CASCADIA	DETROIT DIESEL DD13/D15
PPP2M017	POWER STEERING FILTER	FREIGHTLINER CASCADIA (2015-2017)	WIDTH - 3"
PPP2P003	NOX SENSOR	FREIGHTLINER CASCADIA W/ DETROIT DDE13, DDE15, DDE16 ENGINE MODELS	12 VOLT, GEN 2
PPP2P005	NOX SENSOR	FREIGHTLINER CASCADIA WITH DETROIT DDE13, DDE15, DDE16 ENGINE MODELS	NOX SENSORS ASSIST IN BRINGING YOUR VEHICLE'S EMISSION SYSTEMS UP TO COMPLIANCE. OUR SENSORS WILL DETECT THE LEVEL OF NITROGEN OXIDE CURRENTLY IN YOUR EXHAUST SYSTEM.
PPP2P004	CLAMP & GASKET SET	FREIGHTLINER CASCADIA & M2	NOMINAL DIAMETER: 10.5"
PPP2G043	RADIATOR	FREIGHTLINER CASCADIA (2008-2011), FREIGHTLINER CENTURY CLASS (2008-2010), FREIGHTLINER COLUMBIA (2008-2012)	DIMENSIONS : 42" X 38 13/16" X 2 1/4" INLET/OUTLET : 2.5"/2.5" MATERIAL : PLASTIC & ALUMINUM, ROW : 2 CORE TYPE : DOWNFLOW TRANSMISSION OIL COOLER : 12" FAN SIDE RADIATOR FRAMES NOT INCLUDED DIMENSIONS - 42" X 38 13/16" X 2 1/4" INLET/OUTLET - 2.5"/2.5"
PPP2I025	BELT TENSIONER	MULTIPLE APPLICATIONS	PULLEY WIDTH: 1.574" / 1.250" PULLEY O.D.: 2.952" / 2.755" / 2.834" NO OF GROOVES: 10
PPP2N008	EXHAUST GASKET	FREIGHTLINER CASCADIA & M2	WORKS W/ 5" CLAMPS
PPP2G033	COOLANT LEVEL SENSOR	FREIGHTLINER CENTURY & M2 (2007-2018), FREIGHTLINER CASCADIA (2007-2009) FREIGHTLINER COLUMBIA (2007-2010)"	
PPP2G036	RADIATOR MOUNT	FREIGHTLINER CENTURY, COLUMBIA & FLD	

ENGINE



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2B014	FAN CLUTCH SOLENOID	FREIGHTLINER CENTURY, COLUMBIA, FLD & M2	FEMALE INLET PORTS: 1/8 - 27 NPTF MALE OUTLET PORTS: 1/8 - 27 NPTF
PPP2G038	RADIATOR MOUNT	FREIGHTLINER COLUMBIA & CENTURY, MULTIPLE KENWORTH, MACK, & PETERBILT APPLICATIONS	FLANGE 1/4" NIPPLE, OUTSIDE DIAMETER - OD: 3/4" LARGE OD: 1 1/16"
PPP2I029	ENGINE MOUNT	FREIGHTLINER COLUMBIA & CENTURY, CORONADO, M2 AND FLD	MOTOR MOUNT REAR BOTTOM INSIDE DIMENSIONS: 0.827" OUTSIDE DIAMETER - LARGE : 3.750" OUTSIDE DIAMETER - SMALL : 1.250"
PPP2I028	ENGINE MOUNT	FREIGHTLINER COLUMBIA, CENTURY, CASCADIA, M2	REAR ENGINE MOUNT
PPP2P002	DEF FILTER KIT	FREIGHTLINER MODELS WITH DD15 (2015-UP) PETERBILT 348 SERIES (2017-2019) PETERBILTE 520 SERIES (2018-2019)	
PPP2J011	ISOLATOR	FULLER 11707LL, DLL, 8608L, 13707, 6609, 8609, 8709, 11609 & 12609	
PPP2J006	TACH SENSOR	KENWORTH (1995-2010), PETERBILT (1995-2011) FITS EATON TRANSMISSION WITH INTERNAL TONE RING	DURABLE CONSTRUCTION, ENSURES ACCURATE READINGS, PLUGS INTO MATING COMPONENT SMOOTHLY & EASILY
PPP2I001	ENGINE MOUNT	KENWORTH C500 & T2000 MODELS (2003-2010) KENWORTH T600 MODELS (2003-2006), KENWORTH T800 MODELS (2003-2010)	MOUNT MOUNT UPPER REAR INSIDE DIMENSIONS: 0.812" OUTSIDE DIAMETER - LARGE : 4.265"
PPP2G020	KW CAC	KENWORTH T2000 MODELS (2008-2011), KENWORTH T680 MODELS (2018), PETERBILT 367, 386 (2008-2010), 387, 579 (2013-2015) SERIES	DIMENSIONS - 37.00" X 26.375" X 2.00" INLET/OUTLET - 4.0"/4.0" MATERIAL - ALUMINUM & ALUMINUM CORE TYPE: - TUBE & FIN
PPP2G019	KW CAC	MULTIPLE KENWORTH APPLICATIONS	DIMENSIONS - 28.50" X 27.25" X 2.06" INLET/OUTLET - 4.0"/4.0" MATERIAL- ALUMINUM & ALUMINUM CORE TYPE- TUBE & FIN
PPP2I015	ENGINE MOUNT	KENWORTH T600 & W900 MODELS	ENGINE MOUNT, FRONT WASHER I.D.: 13/16", O.D.: 3 1/4"

ENGINE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2I013	ENGINE MOUNT	KENWORTH T600 MODELS PETERBILT 587 & 589 SERIES	RUBBER
PPP2U010	SWITCH LOW PRESSURE	KENWORTH T600, T660, T800 & W900 MODELS	"NORMALLY CLOSED AT 0 PSI OPENS AT 66 PSI 1/4 IN - 18 NPT"
PPP2L006	FUEL CAP SEAL	KENWORTH T600, T660, T800 & W900 MODELS	QTY PKG 10
PPP2N003	EXH MOUNT BUSHING	KENWORTH T600, T680, T800 & W900 MODELS	
PPP2G017	TEMP SENSOR	KENWORTH T600A, T660 & T800 MODELS (1987 - 2007(PETERBILT 379 SERIES (1987 - 2007)	
PPP2U031	AIR FILTER	KENWORTH T660 & T800 MODELS	LENGTH: 17.34", WIDTH: 10.00", HEIGHT: 9.84" EFFICIENCY: 99.5, TYPE: PRIMARY, STYLE: OBROUND
PPP2G018	KW RADIATOR	KENWORTH T660 MODELS (2009-2013) KENWORTH T600 MODELS	DIMENSIONS : 42 7/8" X 29 5/8" X 2 3/16" INLET/OUTLET : 2.5"/2.5" MATERIAL : ALUMINUM & ALUMINUM, ROW : 2 CORE TYPE : DOWNFLOW RADIATOR FRAMES NOT INCLUDED, DIMENSIONS - 42 7/8" X 29 5/8" X 2 3/16" INLET/OUTLET - 2.5"/2.5"
PPP2G004	COOLANT HOSE	KENWORTH T660 SERIES	SILICONE, DIAMETER: 2.50", 5 RING
PPP2I014	ENGINE MOUNT	KENWORTH T660/T800 (2011+)	
PPP2G011	COOLANT HOSE	KENWORTH T680 MODELS	ID: 2.50", 45 DEGREE, SILICONE INSIDE DIAMETER - 2.50"
PPP2B025	TEMPERATURE AIR SENSOR	KENWORTH T680 MODELS	
PPP2G024	CAC HOSE 4"X6"	KENWORTH T680 MODELS PETERBILT 587 SERIES	DIMENSIONS: 4" X 6", SILICONE
PPP2G021	RADIATOR	KENWORTH T680, 579 (2018 & UP)	DIMENSIONS - 35 X 38 X 2.5
PPP2G016	COOLANT LEVEL SENSOR	KENWORTH T680, T880 (2013 - 2019), 579 (2013 & UP)	DIMENSIONS - 3.06X4.43X2

ENGINE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2G041	CHARGE AIR COOLER	KENWORTH T800 MODELS (2008-2010), PETERBILT 355 SERIES (2008-2009), PETERBILT 365 SERIES (2008-2011), PETERBILT 367SERIES (2008-2011)	DIMENSIONS - 37.25" X 29.875" X 1 5/8" INLET/OUTLET - 4.0"/4.0" MATERIAL - ALUMINUM & ALUMINUM CORE TYPE- TUBE & FIN
PPP2I003	ENGINE MOUNT	KENWORTH T800 MODELS KENWORTH T600 (2004)	MOUNT MOUNT UPPER REAR INSIDE DIMENSIONS: 0.812" OUTSIDE DIAMETER - LARGE : 7.750" OUTSIDE DIAMETER - SMALL : 1.980"
PPP2L009	FUEL TANK STRAP	MACK	OVERALL LENGTH: 27 ½" WIDTH: 2" WEIGHT: 6.35 LBS, DIMENSIONS - WIDTH: 2", MATERIAL - STEEL
PPP2I010	DPF PRESSURE SENSOR	MULTIPLE APPLICATIONS	CONNECTOR GENDER: MALE CONNECTOR SHAPE: RECTANGLE MAXIMUM PRESSURE: 10PSI PORT QUANTITY: 2, TERMINAL GENDER: MALE TERMINAL QUANTITY: 4, TERMINAL TYPE: BLADE
PPP2J007	SPEED SENSOR	MULTIPLE APPLICATIONS FOR PETERBILT, KENWORTH AND PACCAR	4 PIN PLUG, 3/4-16 THREAD SIZE THREADS ARE 2.5 INCHES LONG DIMENSIONS - 3/4-16 THREAD SIZE, THREADS_ 2.5 IN
PPP2I021	BELT TENSIONER	MULTIPLE FREIGHTLINER APPLICATIONS	PULLEY WIDTH 2.244", PULLEY OD: 2.913" BELT TYPE: SERPENTINE
PPP2U033	SOLENOID VALVE	MULTIPLE FREIGHTLINER APPLICATIONS	12 VOLT, NORMALLY CLOSED
PPP2B016	SOLENOID VALVE	MULTIPLE FREIGHTLINER APPLICATIONS	12 VOLT, NORMALLY CLOSED
PPP2G010	CAC CLAMP	MULTIPLE INTERNATIONAL, FREIGHTLINER & VOLVO APPLICATIONS	MIN: 4.125"/104.77MM MAX: 4.875"/123.82MM DIMENSIONS - 4.125" - 4.875" MATERIAL - STAINLESS STEEL
PPP2G015	COOLANT LEVEL SENSOR	MULTIPLE KENWORTH & PETERBILT APPLICATIONS	COOLANT LEVEL SENSOR
PPP2I012	BELT TENSIONER	MULTIPLE KENWORTH & PETERBILT APPLICATIONS	BELT TENSIONER, DIMENSIONS - 4X4X2
PPP2G025	RADIATOR MOUNT	MULTIPLE KENWORTH & PETERBILT APPLICATIONS	INSIDE DIAMETER - 5/8" OUTSIDE DIAMETER - LARGE OD: 3" SMALL OD: 1 13/16"
PPP2L003	FUEL TANK ISOLATOR	MULTIPLE KENWORTH APPLICATIONS	LENGTH: 37", WIDTH: 3 1/4"

ENGINE

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2I034	IDLER PULLEY W/ SLEEVE	MULTIPLE MACK APPLICATION	6 GROOVE, V RIBBED, OD: 112MM WIDTH: 27.5MM, ID: 17MM
PPP2I005	V-BAND CLAMP	MULTIPLE PETERBILT APPLICATIONS	NOMINAL DIAMETER IN:3.25" NOMINAL DIAMETER MM: 82.55, DIAMETER - 3.25" MATERIAL - STAINLESS STEEL
PPP2L013	FUEL TANK STRAP	MULTIPLE PETERBILT APPLICATIONS	WORKS W/ 26 DIAMETER FUEL TANK, INCLUDES T-BOLT & WEBBING, POLISHED DIMENSIONS - WIDTH: 3.7" MATERIAL - STAINLESS STEEL
PPP2U044	CAB AIR MANIFOLD	MX 12.9L ENGINES	CAB & SLEEPER WITH MX 12.9L ENGINES
PPP2G039	RADIATOR MOUNT 2 PACK	PETERBILT 357 & 359 MODELS	SOLD IN QUANTITIES OF 2
PPP2I018	ENGINE MOUNT	PETERBILT 386, 388, 389, 567, 579	REAR MOTOR MOUNT, DIMENSIONS - 9.75 × 7.75 × 4.875 IN
PPP2G005	ELBOW	PETERBILT 387 SERIES KENWORTH T660 MODELS	DIAMETER: 2.50", SILICONE
PPP2I030	EXHAUST TURBO GASKET	VOLVO FH, FM, FMX & NH MODELS	
PPP2I032	EGR GASKET	VOLVO VN & VNL MODELS W/ D13 ENGINE MODELS	VOLVO D13 ENGINE MODELS

EXHAUST

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2N002	5" FLEX TUBEX10	MULTIPLE APPLICATIONS	10' ROLL, DIAMETER: 5", GALVANIZED STEEL
PPP2N006	FLEX PIPE 25' ROLL 4"	MULTIPLE APPLICATIONS	25' ROLL, DIAMETER: 4", MATERIAL - STAINLESS STEEL
PPP2I006	V BAND CLAMP	VOLVO VNL MODEL	PIPE OD: 4", PIPE ID: 4.75" STYLE: EXHAUST SADDLE & U-BOLT DESIGN DIMENSIONS - 4.75", INSIDE DIAMETER - 4.75" MATERIAL - STAINLESS STEEL
PPP2N007	FLEX PIPE 25' ROLL 5"	MULTIPLE APPLICATIONS	LENGTH: 25' ROLL, DIAMETER : 5", STAINLESS STEEL
PPP2P001	DPF CLAMP	MULTIPLE APPLICATIONS	MATING GASKET 2880215
PPP2N009	EXHAUST CLAMP	MULTIPLE APPLICATIONS	NOMINAL DIAMETER: 10.5"/ 267.66MM COUPLER WIDTH: 2.16"/55MM MATERIAL - STAINLESS STEEL
PPP2I022	V-BAND CLAMP	FREIGHTLINER CASCADIA & M2 CLASS	NOMINAL DIAMETER: 10.38"/263.652MM INSIDE DIAMETER - 10.50", MATERIAL - STAINLESS STEEL
PPP2I007	V BAND CLAMP	KENWORTH T300, T450, T600A, T800 & W900 SERIES	DIMENSIONS - 5.88", MATERIAL - STAINLESS STEEL
PPP2N001	5" BAND CLAMP	INTERNATIONAL 5000 SEVERE SERVICE MODELS, INTERNATIONAL 9000 PREMIUM CABOVER AND CONVENTIONAL MODELS	DIAMETER: 5", PREFORMED, MATERIAL - ALUMINIZED
PPP2N005	EXHAUST BELLOWS	MULTIPLE APPLICATIONS	DIMENSIONS: 4" X 4" FLANGED, LENGTH: 11.375" TRUE THREE LAYERED BELLOWS W/ ALL BENEFITS OF PROPRIETARY UNIT, GASKET: 2866636 INCLUDES CLAMPS AND GASKETS M66-7091-0320 WITH 2 GASKETS (1844896PE) AND 2 CLAMPS (PAC900012)
PPP2I004	V BAND CLAMP	MULTIPLE FREIGHTLINER APPLICATIONS MULTIPLE INTERNATIONAL APPLICATIONS VOLVO VNL, VNM & VT MODELS (2007-2015)	NOMINAL DIAMETER: 13.30", DIMENSIONS - 13.30" MATERIAL - STAINLESS STEEL
PPP2N004	EXH MOUNT BUSHING	PETERBILT 379 MODELS (1987-2007)	HIGH TEMPERATURE, ID: 7/16" SMALL OD: 1 1/8", LARGE OD: 1 3/4" MATERIAL - POLYURETHANE

HVAC



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2H003	BLOWER MOTOR	MULTIPLE APPLICATIONS	DOUBLE SHAFT, VENTED, 12 VOLT, STRAP MOUNTED, PM ROTATION, MOTOR #1- 4500 RPM VOLTAGE: 12.3 MOTOR #2- 4400 RPM VOLTAGE: 12.1 SHAFT- DIAMETER: 5/16"" LENGTH: 3 1/16" BODY LENGTH: 3 7/8" DIAMETER: 3", PM ROTATION
PPP2H014	RECEIVER DRYER	MULTIPLE APPLICATIONS	#8 STAT-O-SEAL INLET & OUTLET
PPP2B024	RESISTOR	MULTIPLE APPLICATIONS	4 TERMINAL, 12 VOLT
PPP2H008	BLOWER MOTOR	FREIGHTLINER CASCADIA & M2 (2002-2009)	12 VOLT, VENTED, BRUSHLESS
PPP2H007	EXPANSION VALVE	FREIGHTLINER CENTURY C112, CENTURY C120, COLUMBIA & CORONADO FREIGHTLINER FLD112, FLD120, CLASSIC XL & CORONADO	(2 TON), HOSE SIDE FITTINGS #6 (3⁄8") STAT-O-SEAL, #12 (5⁄8") STAT-O-SEAL EVAPORATOR FITTINGS #8 (1⁄2") STAT-O-SEAL, #10 (5⁄8") STAT-O-SEAL MAIN UNIT FREIGHTLINER EGELHOF#327302, BEHR#A4965
PPP2H012	CABIN AIR FILTER	FREIGHTLINER COLUMBIA, CORONADO & CASCADIA (2003-2011) FREIGHTLINER C, CENTURY C112, CENTURY C120, COLUMBIA & CORONADO (2002-2007)	DIMENSIONS - 10 1/2" X 10 1/2" X 1"
PPP2H013	CABIN AIR FILTER	FREIGHTLINER M2 (2003-2007) FREIGHTLINER M2 106 (2012)	DIMENSIONS - 8 21/32" X 8 25/64" X 61/64"
PPP2H020	BINARY SWITCH	MULTIPLE APPLICATIONS	FITTING CONNECTOR: M10-1.25 HIGH- OFF: 455 PSI ON: 341 PSI, LOW- OFF: 28 PSI ON: 40 PSI
PPP2B027	ACTUATOR	MULTIPLE APPLICATIONS	PISTON TYPE MOTO MODE CONTROL, 2 TERMINAL
PPP2H005	A/C PRESSURE SWITCH	MULTIPLE APPLICATIONS	HIGH SIDE SWITCH, NORMALLY CLOSED FITTING CONNECTOR: M10-1.25 FEMALE INTEGRAL 2 PIN CLOSES AT: 330-370 PSI OPENS AT: 180-240 PSI
PPP2H011	CONDENSER	KENWORTH T300, T660 & W900 MODELS	RADIATOR MOUNT, DIMENSIONS - 26" X 20" X 5/8"
PPP2H002	CABIN AIR FILTER	KENWORTH T660 & T680 MODELS PETERBILT 387 SERIES	

HVAC



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2H006	RECEIVER DRYER	KENWORTH T680 & T880 MODELS (2015-2016), PETERBILT CONVENTIONALS (2014-2016)	PAD MOUNT, HEIGHT: 10.25", DIAMETER: 3"
PPP2H009	CONDENSER	KENWORTH T680 MODELS	DIMENSIONS: 20 1/16" X 33 1/2"X 5/8"
PPP2H001	CABIN AIR FILTER	KENWORTH T680 MODELS PETERBILT 567 & 579 SERIES INTERNATIONAL LT, 5900I	DIMENSIONS: - 8 15/16" X 7 7/8" X 1 3/16" FILTER ONLY, NO CASING
PPP2H010	CONDENSER	KENWORTH T700, T800 & T2000 MODELS (2008-2012), PETERBILT 365, 367, 387 & 587 MODELS (2008-2012)	DIMENSIONS - 512MM X 16MM X 890MM, MATERIAL - CHROME
PPP2H015	CABIN AIR FILTER	MULTIPLE KENWORTH APPLICATIONS (1998-2010), PETERBILT 330, 335, 340, 357, 375, 376, 377, 378, 379, 386, 388 & 389 MODELS (2002-2008)"	DIMENSIONS - 10 3/4" X 8" X 5/16"
PPP2H016	CABIN AIR FILTER	MULTIPLE PETERBILT APPLICATIONS (2009 & UP)	FILTER W/ FRAME, DIMENSIONS - 12 1/2" X 9" X 1/2"
PPP2H019	RECEIVER DRYER	PETERBILT 310, 320, 357, 365, 367 375, 377, 378, 379, 382, 384, 385, 387, 388, 389 MODELS	INCLUDES METRIC M10 PORTS
PPP2H017	RECEIVER DRYER	PETERBILT 325, 330, 335 & 340 MODELS (1999-2010) PETERBILT 357, 377-379 & 385 CONVENTIONAL MODELS (1994-2010)	INLET & OUTLET: PAD MOUNT, DIAMETER - 3" LENGTH: 9 5/64"
PPP2H018	BLOWER MOTOR	PETERBILT 357 & 375-379 SERIES (1998-2016)	ROTATION: CW, SHAFT DIAMETER: 5/16" SHAFT LENGTH: 1", 12 VOLTS
PPP2H021	EVAPORATOR	MULTIPLE APPLICATIONS	

PTO



PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2Q001	DUMP PUMP, CSERIES DIRECT MOUNT	MULTIPLE APPLICATIONS	C SERIES DIRECT MOUNT, CW, 7/8 13 TOOTH SPLINE SHAFT 49 GPM FLOW AT 1800 RPM, MAX. RPM 2400 EXTENDED STUDS FOR SUPPORT BRACKET, SLEEVE INCLUDED
PPP2Q002	DUMP PUMP, C SERIES, W/AIR SHIFT CYLINDER	MULTIPLE APPLICATIONS	C SERIES DIRECT MOUNT, INCLUDES AIR SHIFTER CYLINDER 7/8" 13 TOOTH SPLINE SHAFT, 49 GPM FLOW AT 1800 RPM MAX. RPM 2400, EXTENDED STUDS FOR SUPPORT BRACKET PRE-MOUNTED SHIFTER CYLINDER, SLEEVE INCLUDE
PPP2Q004	8 HOLE DIRECT MOUNT PTO	MULTIPLE APPLICATIONS	MUNCIE BLUE
PPP2Q007	8-HOLE DIRECT MOUNT PTO	MULTIPLE APPLICATIONS	MOUNTING OPTION: STANDARD MOUNT W/ METRIC STUDS GEAR RATIO: 25/34, INPUT GEAR: 5-P-1004 NO PRESSURE LUBE, SHIFT OPTION: AIR SHIFT OUTPUT: SAE "B" 2 OR 4-BOLT FLANGE, SAE "B" SHAFT (7/8" - 13T) INPUT GEAR - AH, LUBRICATION - X, MOUNTING - G, OUTPUT - XK RATIO - L, SHIFT - A
PPP2Q009	8 HOLE REMOTE MOUNT PTO	MULTIPLE APPLICATIONS	MOUNTING OPTION: STANDARD MOUNT, GEAR RATIO: 19/24 INPUT GEAR: 5-P-1004, NO PRESSURE LUBE, SHIFT OPTION: AIR SHIFT OUTPUT: 1 1/4" KEYED SHAFT FOR DRIVESHAFT APPLICATIONS INPUT GEAR - AH, LUBRICATION - X, MOUNTING - X, OUTPUT - XD RATIO - Q, SHIFT - A
PPP2Q010	8 HOLE REMOTE MOUNT PTO	MULTIPLE APPLICATIONS	MOUNTING OPTION: STANDARD MOUNT, GEAR RATIO: 23/35 INPUT GEAR: 5-P-1364, NO PRESSURE LUBE SHIFT OPTION: AIR SHIFT W/O INSTALLATION KIT OUTPUT: SAE "B" 2 OR 4-BOLT FLANGE, SAE "B" SHAFT (7/8" - 13T) INPUT GEAR - AH, LUBRICATION - X, MOUNTING - X, OUTPUT - XK RATIO - H, SHIFT - V
PPP2Q011	8 HOLE DIRECT MOUNT PTO	MULTIPLE APPLICATIONS	MOUNTING OPTION: STANDARD MOUNT W/ METRIC STUDS GEAR RATIO: 23/35, INPUT GEAR: 5-P-1364, NO PRESSURE LUBE SHIFT OPTION: AIR SHIFT W/O INSTALLATION KIT OUTPUT: SAE "B" 2 OR 4-BOLT FLANGE, SAE "B" SHAFT (7/8" - 13T) INPUT GEAR - AH, LUBRICATION - X, MOUNTING - G, OUTPUT - XK RATIO - H, SHIFT - V

PTO

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2Q012	DUMP PUMP, C SERIES DIRECT MOUNT	MULTIPLE APPLICATIONS	C SERIES DIRECT MOUNT, CCW, INCLUDES AIR SHIFTER CYLINDER 7/8 13 TOOTH SPLINE SHAFT, 49 GPM FLOW AT 1800 RPM MAX. RPM 2400, EXTENDED STUDS FOR SUPPORT BRACKET PRE-MOUNTED SHIFTER CYLINDER, SLEEVE INCLUDED
PPP2S024	BRACKET KIT	MULTIPLE APPLICATIONS	3 POSITION, DIRECT MOUNT
PPP2Q013	DUMP PUMP, C SERIES DIRECT MOUNT W/ AIR SHIFT CYLINDER	MULTIPLE APPLICATIONS	C SERIES DIRECT MOUNT, CCW, INCLUDES AIR SHIFTER CYLINDER 7/8 13 TOOTH SPLINE SHAFT, 49 GPM FLOW AT 1800 RPM MAX. RPM 2400, EXTENDED STUDS FOR SUPPORT BRACKET PRE-MOUNTED SHIFTER CYLINDER, SLEEVE INCLUDED
PPP2J012	GASKET SHIFTER COVER	635 SERIES (REPLACEMENT FOR CHELSEA 442 SERIES), 6LS SERIES (REPLACEMENT FOR CHELSEA 221 SERIES), 825 SERIES (REPLACEMENT FOR CHELSEA 489 SERIES)	
PPP2B026	BALL SWITCH	655 SERIES (REPLACEMENT FOR CHELSEA 442 SERIES), 841 SERIES (REPLACEMENT FOR CHELSEA 489 SERIES)	NORMALLY CLOSED
PPP2Q006	HYDRAULIC MOTOR	HYDRAULIC MOTORS	REPLACEMENT FOR CHAR-LYNN DESIGN STANDARD ROTATION, STRAIGHT SHAFT SIZE: 1.25" 4 BOLT FLANGE, PORTS: 1 1/16"-12 & 7/16"-20 UNF
PPP2Q008	PTO SOLENOID PRESSURE SENSOR	NS10 SERIES (REPLACEMENT FOR CHELSEA 277 SERIES)	WORKS W/ NS10 PTO SERIES
PPP2Q005	HYDRAULIC PUMP	REPLACEMENT FOR PARKER & MUNCIE P20 DOWEL MODELS	BI-ROTATIONAL, 2500 PSI - 17 GPM AT 1000 RPM 1 1/4 SIDE & 1 REAR NPT PORTS, 2 GEAR 7/8 13 SPLINE, 4 BOLT "B" FLANGE (2) MUNCIE PK17-2BPBB (BI-ROTATIONAL) PORTS: SIDE 1-1/4" NPT, REAR 1" NPT MAX. PRESSURE: 2,500 PSI, MAX. RPM: 2,400 GPM: 17 @ 1,000 RPM, 36 @ 2,100 RPM OUTPUT SHAFT: 7/8" - 13T, SAE B 2 OR 4 BOLT FLANGE GEAR WIDTH: 2", FLOW RATE AT 1000 RPMS - 17 GPM PORTS - 1-1/4" SIDE AND 1" REAR NPT, PRESSURE (PSI) - 2500 PSI
PPP2Q003	HYDRAULIC PUMP	REPLACEMENT FOR PARKER & MUNCIE P51 DOWEL MODELS	BI-ROTATIONAL, 7/8 13 SPLINE, 4 BOLT "B" FLANGE (2) 3000 PSI - 19 GPM AT 1000 RPM 1 1/4 SIDE & 1 1/2 REAR NPT PORTS, 1 3/4 GEAR, FLOW RATE AT 1000 RPMS - 19 GPM, PORTS - 1-1/4" SIDE AND 1-1/2" REAR NPT, PRESSURE (PSI) - 3000 PSI

RADIATOR/CAC

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2G001	SURGE TANK	KENWORTH T680 (2013-2021) KENWORTH T880 (2014-2021) PETERBILT 579 (2013-2021)	INCLUDES CAPS AND SENSORS, OUTER DIAMETER : 0.630" HEIGHT: 19.50", LENGTH: 23.00"
PPP2G002	SURGE TANK	MULTIPLE KENWORTH & PETERBILT TRUCK MODELS 2008 - 2019	INCLUDES CHECK VALVE & CAP, POSITION : FRONT MATERIAL: PLASTIC, COLOR: CLEAR, MOUNT HOLE QUANTITY : 2 CAP MAXIMUM PRESSURE RATING : 15 PSI
PPP2G032	SURGE TANK	FITS FREIGHTLINER CASCADIA 2018+	
PPP2G027	SURGE TANK	FREIGHTLINER CASCADIA	MATERIAL: PLASTIC, COLOR: CLEAR, MOUNT HOLE QUANTITY : 4 CAP MAXIMUM PRESSURE RATING : 15 PSI INCLUDES PRESSURE CAP (05-20763-002), FILLER CAP (BHT W3678001) & COOLANT SENSOR (06-62384-002)
PPP2G028	SURGE TANK	FREIGHTLINER CASCADIA (2008-2019), CENTURY (2008-2011), COLUMBIA (2010-2015), CORONADO (2010-2019), FLD120SD (2011), M2-106 (2014-2016), M2-112 (2008-2019)	MATERIAL: PLASTIC, COLOR: CLEAR, MOUNT HOLE QUANTITY : 4 CAP MAXIMUM PRESSURE RATING : 15 PSI INCLUDES PRESSURE CAP (05-20763-002), FILLER CAP (BHT W3678001) & COOLANT SENSOR (06-62384-002)
PPP2G031	SURGE TANK	FREIGHTLINER CENTURY & COLUMBIA (2004-2009), FREIGHTLINER COLUMBIA 112, COLUMBIA 120 & FLD (2001-2007)	POSITION: FRONT, COLOR: CLEAR MATERIAL : PLASTIC, MOUNT HOLE QUANTITY: 2 CAP MAXIMUM PRESSURE RATING : 15 PSI WORKS W/ SENSOR (KYS 5022 02200 05)
PPP2G014	FREIGHTLINER COOLANT RESERVOIR	FREIGHTLINER M2 & M2-106 (2012-2019)	POSITION : FRONT, MATERIAL: PLASTIC COLOR: CLEAR, MOUNT HOLE QUANTITY : 3 CAP MAXIMUM PRESSURE RATING : 15 PSI DOES NOT INCLUDE SENSOR
PPP2G035	SURGE TANK	FREIGHTLINER M2 & M2-106 (2012-2019)	POSITION : FRONT, MATERIAL: PLASTIC COLOR: CLEAR, MOUNT HOLE QUANTITY : 3 CAP MAXIMUM PRESSURE RATING : 15 PSI DOES NOT INCLUDE SENSOR
PPP2G034	SURGE TANK KIT	FREIGHTLINER M2 BUSINESS & M2106 (2005-2010), FREIGHTLINER M2112 (2009-2010), FREIGHTLINER C2, M2, M2 100 (2005-2011)	
PPP2G007	LEVEL SENSOR	KENWORTH W900, T660 & T800 MODELS (2008 - 2019), PETERBILT 348, 335, 359, 365, 367, 377,379, 387, 382, 384, 385, 386, 388 & 389 SERIES (2008 - 2019)	WORKS W/ SURGE TANK N5346001, LENGTH: 4.48"
PPP2G008	SURE TANK CAP	KENWORTH T660, T800 & W900 MODELS (2008-2010), PETERBILT 330, 335, 359, 362, 365, 367, 379, 384, 386, 387, 388 & 389 MODELS (2008-2010)	15 PSI, WORKS W/ SURGE TANK S-23610 (N5346001)

STEERING

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2M019	STEERING COLUMN	FREIGHTLINER CASCADIA & COLUMBIA 112 MODELS	ADJUSTABLE
PPP2M015	POWER STEERING PUMP	FREIGHTLINER CASCADIA & COLUMBIA	2175 PSI, 4.23 GPM, CW, 11 TOOTH SPLINE
PPP2M016	POWER STEERING PUMP	FREIGHTLINER CASCADIA, CENTURY, CORONADO, FLD & M2 CLASS	2 LINE ALUMINUM PUMP CCW 2 BOLT FLANGE, 11 TOOTH SPLINE SHAFT 4.25 USGPM FLOW RATE 2683 PSI ALUMINUM CONSTRUCTION

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2U001	LEVELING VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR HALDEX®, PORTS: 1/8 NPT INCLUDES FITTING PACKAGE
PPP2U007	LEVELING VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR BARKSDALE® INCLUDES DUMP FEATURE & P-T-C FITTINGS, PORTS: 1/4" NPT
PPP2F014	KW AIR BAG	MULTIPLE APPLICATIONS	EXTENDED HEIGHT:11.00 INCHES COMPRESSED HEIGHT: 3.90 INCHES, TOP PLATE NUMBER:3002 TOP PLATE WIDTH:9.00 INCHES, PISTON NUMBER:9569 PISTON WIDTH:8.18 INCHES, DIMENSIONS - 13.45X9.3X9.3
PPP2F028	TORQUE ROD BUSHING	MULTIPLE APPLICATIONS	WORKS W/ A16-16749-001 & A16-16749-002
PPP2M005	KING PIN KIT	MULTIPLE APPLICATIONS	KING PIN LENGTH : 9.160", BUSHING TYPE : BRONZE KING PIN TYPE : B, BUSHING : (4) R210033 SHIM : (2) R210222(2) R210254(2) R210255 KING PIN DIAMETER : 1.609", ADDITIONAL CONTENTS : (4) SEALS, (4) O-RINGS, (4) LOCK PINS KING PIN DIAMETERS : 1.609 IN., KING PIN LENGTHS : 9.16 IN. RELATED BUSHING : (4) R210033 RELATED SHIM : (2) R210254, TYPE : B TYPE DESCRIPTION : DOUBLE DRAW KEY NOTCH
PPP2S009	HOLLAND KING PIN	MULTIPLE APPLICATIONS	2" UPPER COUPLER 3/8 STEEL FORGING S630H DIMENSIONS - 5.35 X 8.95 X 8.7"
PPP2U034	LEVLEING VALVE	MULTIPLE APPLICATIONS	REPLACEMENT FOR BARKSDALE®, PORTS: 1/4" NPT ARM: STRAIGHT, 8" ON CENTERS
PPP2F030	AIR SPRING	MULTIPLE APPLICATIONS	EXTENDED HEIGHT: 19.20", COLLAPSED HEIGHT: 5.79"
PPP2R090	CAB AIR BAG	MULTIPLE APPLICATIONS	TOP PLATE HOLE/STUD: 1, BOTTOM PLATE HOLE/STUD: 1 EXTENDED HEIGHT: 13.80", COMPRESSED HEIGHT: 4.70" TOP PLATE DIAMETER: 3.09", BOTTOM PLATE DIAMETER: 2.30"
PPP2F043	AIR LEAF HOUSING	MULTIPLE APPLICATIONS	W/ 4 LEAF SPRINGS
PPP2F046	LOW AIR LEAF HOUSING	MULTIPLE APPLICATIONS	W/ 4 LEAF SPRINGS, LOW MOUNT
PPP2M020	DRAGLINK	FREIGHTLINER CASCADIA	

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2M018	DRAGLINK	FREIGHTLINER CASCADIA (2012, 2013, 2016) & FLD	APPLICATION: FREIGHTLINER, TYPE: NON-REPLACEABLE ENDS ENDS: IDENTICAL ENDS, LENGTH CENTER TO CENTER: 18.250" SHAFT DIAMETER: 1.625 INCHES SHAFT SIDE THREAD: 1 1/8" - 12 (RH), E TO E: 14.5"
PPP2F033	TORQUE ROD ASSY	FREIGHTLINER CASCADIA, FLD, CENTURY & COLUMBIA AIRLINER MODEL SUSPENSIONS	LENGTH: 24.21" (CENTER TO CENTER) OEM FORGED
PPP2F035	TORQUE ROD ASSY	FREIGHTLINER FLD, CENTURY & COLUMBIA	LENGTH: 24" (CENTER TO CENTER)
PPP2F034	SPRING BUSHING	FREIGHTLINER FLD, COLUMBIA, CENTURY & M2	FS65 FRONT SUSPENSION W/ 4" LEAF SPRINGS
PPP2F021	LEAF SPRING BUSHING	FREIGHTLINER M2 106 (2012)	OUTSIDE DIAMETER: 2 1/2" MISC: BOLT HOLE: 3/4"; BOLT HOLES: 5 21/32" C-C QTY PER VEHICLE: 2 ANTI-WALK HIGH CONFINEMENT, OLD STYLE
PPP2F024	LINKAGE KIT	HENDRICKSON TURNER HT190U, 250U, 300U & 300US MODELS	HENDRICKSON TURNER HT190U, 250U, 300U & 300US MODELS
PPP2F015	AIR BAG	HENDRICKSON TURNER TRAILER HT190T, 230T, 250T, 300T, HT DOLLY, HK190T, 230 & HS190T	CAP NUMBER: 3242, PISTON NUMBER: 9602 TOP PLATE HOLE/STUD: 1, BOTTOM PLATE HOLE/STUD: 4 EXTENDED HEIGHT: 16.90", COMPRESSED HEIGHT: 5.60" TOP PLATE DIAMETER: 9.00", BOTTOM PLATE DIAMETER: 9.50"
PPP2R111	CAB BUSHING	INTERNATIONAL 3200 SERIES SCHOOL BUS, INTERNATIONAL 4100-4400, 7300 & 7500 SERIES MEDIUM DUTY INTERNATIONAL 8500 SERIES HEAVY DUTY	OE RUBBER VERSION
PPP2F001	BUSHING	INTERNATIONAL 4500-4900 SERIES MEDIUM DUTY INTERNATIONAL 9200-9400 SERIES CONVENTIONAL CABOVERS	
PPP2F027	TORQUE ROD BUSHING	INTERNATIONAL 4500-4900 SERIES MEDIUM DUTY INTERNATIONAL 9200-9400 & 9600-9800 SERIES CABOVERS INTERNATIONAL 3400-3800 SERIES SCHOOL BUS	HENDRICKSON APPLICATIONS WORKS W/ PIN STYLE TORQUE RODS
PPP2F025	SPRING BUSHING	INTERNATIONAL FRONT TRANSTAR CONVENTIONAL (1966-1984)	

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2F019	TORQUE ARM BRACKET	KENWORTH AIRGLIDE 100 SUSPENSIONS	TORQUE ROD BRACKET, 4.400" BETWEEN HOLES 2" STANDOUT
PPP2F020	SHOCK BRACKET	KENWORTH W900, T800, T2000, C500, & K100/300 MODELS	FRONT SUSPENSIONS
PPP2F038	AIR SPRING BRACKET	KENWORTH AIRGLIDE 100	MATERIAL - ALUMINUM
PPP2F008	SPRING PIN	KENWORTH CONVENTIONAL, CABOVERS	4" SPRING FRONT SUSPENSION, THREADED
PPP2F023	SPRING BUSHING	KENWORTH FRONT AG130 AIR SUSPENSION	12K FRONT SPRING EYE BUSHING, O.D.: 1 3/4" OUTER SLEEVE LENGTH: 4 1/16"
PPP2F006	SPRING PIN	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	O.D.: 1 1/16", LENGTH: 7 3/8" DIMENSIONS - SIZE: 1.37" X 7.37", LOCK : 5.75"
PPP2F007	SPRING PIN	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	WORKS W/ 4" SPRING DIMENSIONS - SIZE: 1.37" X 7.37", LOCK : 5.75"
PPP2F010	SPRING PIN BUSHING	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	4"
PPP2F012	SPRING PIN SILENT BLOCK	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	WORKS W/ 4" SPRINGS, O.D.: 2 1/16" OUTER SLEEVE LENGTH: 4 1/16"
PPP2F013	SPRING PIN BUSHING	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	WORKS W/ 4" SPRINGS O.D.: 2 1/16", OUTER SLEEVE LENGTH: 4 1/16"
PPP2F017	SPRING PIN	KENWORTH FRONT C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 MODELS	6 7/8" SPRING FRONT SUSPENSION WORKS W/ 02-01805
PPP2F004	TORQUE ROD	KENWORTH REAR AG100 AIRGLIDE SUSPENSION	LENGTH: 24" (CENTER TO CENTER), DIMENSIONS - 24X8
PPP2F047	SPRING PIN	KENWORTH T2000 FRONT SUSPENSION	
PPP2R091	CAB AIR BAG	KENWORTH T2000 MODELS (1998 & UP) WITH LINK SUSPENSIONS	

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2M010	DRAGLINK	KENWORTH T400, 450 & 600 MODELS	APPLICATION: KENWORTH, TYPE: NON-REPLACEABLE ENDS ENDS: IDENTICAL ENDS, LENGTH CENTER TO CENTER: 28.375" SHAFT DIAMETER: 1.440", SHAFT SIDE THREAD: 1 1/8" - 12 (RH) TAPER MINOR DIAMETER: 1.080" TAPER MAJOR DIAMETER: 1.250" TAPER LENGTH: 1.360", TAPER PIN THREAD: 7/8"-14 STUD CENTER TO END - 28.28"
PPP2F031	U-BOLT ASSY	KENWORTH T600, T700 & T800 MODELS	
PPP2F011	SPRING PIN SILENT BLOCK	KENWORTH T600, T800, T2000 & T9000 MODELS	12K FRONT SPRING EYE BUSHING, O.D.: 1 3/4" OUTER SLEEVE LENGTH: 4 1/16", MATERIAL - POLYURETHANE
PPP2F003	SPRING PIN	KENWORTH T600A, T600B, K100, K300 & T800 MODELS PETERBILT 359, 377 & 387 MODELS	O.D.: 1.062", LENGTH: 7.870 C TO C: 6.330", THREAD SIZE: M33.5-4.0 AXLE MODEL - KENWORTH FRONT C500B/550B, K100/300, T300/400/450/600/800
PPP2R036	CAB REBOUND BUSHING	KENWORTH T660, 700 & 800 MODELS	
PPP2M011	DRAGLINK	KENWORTH T800 MODELS	TYPE: NON-REPLACEABLE ENDS, ENDS: IDENTICAL ENDS LENGTH CENTER TO CENTER: 31.000" SHAFT DIAMETER: 1.654", SHAFT SIDE THREAD: 1 1/8" - 12 (RH) TAPER MINOR DIAMETER: 1.080" TAPER MAJOR DIAMETER: 1.220", TAPER LENGTH: 1.120" TAPER PIN THREAD: 7/8"-14 STUD CENTER TO END - ADJUSTABLE
PPP2F016	HIGH NUT	MULTIPLE APPLICATIONS	DIMENSIONS - 7/8"-14
PPP2F026	TORQUE ROD	MULTIPLE APPLICATIONS	AIRGLIDE 380, TRACKING ROD-FLEX AIR SUSPENSIONS KENWORTH AIR LEAF, LENGTH: 25.56" (CENTER TO CENTER)
PPP2S010	HOLLAND PIN AND BUSHING KIT	MULTIPLE APPLICATIONS	WORKS W/ XA351 HOLLAND 5TH WHEEL MODELS KIT CONSISTS OF 2 BRACKET PINS, 2 LOCKNUTS (1/2"-20). 2 HEX HEAD CAP SCREW (1/2""-20 X 1-1/4"") & 2 RUBBER BUSHINGS
PPP2F037	U-BOLT KIT	MULTIPLE APPLICATIONS	SQUARE, 1"-14 X 4 1/8"" SQUARE X 16" CONVENTIONAL/ CABOVER WITH 4" WIDE SPRINGS DIMENSIONS - 1"-14 X 4 1/8" SQUARE X 16"
PPP2F041	TORQUE ROD ASSY	MULTIPLE APPLICATIONS	LENGTH: 23" (CENTER TO CENTER), STUD CENTER TO END - 31"

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2F032	LEAF SPRING BUSHING	MULTIPLE FREIGHTLINER APPLICATIONS INTERNATIONAL LT SERIES	OUTSIDE DIAMETER: 2 1/2" MISC: BOLT HOLE: 3/4"; BOLT HOLES: 5 21/32" C-C QTY PER VEHICLE: 2, ANTI-WALK HIGH CONFINEMENT NEW STYLE
PPP2M001	TIE ROD END	MULTIPLE FREIGHTLINER, GMC, KENWORTH, MACK, INTERNATIONAL, VOLVO & PETERBILT APPLICATIONS	TAPER LENGTHS: 1.36", SMALL TAPER DIAMETERS: 1.08" STUD CENTER TO ROD END: 7.37", STUD THREAD SIZE: 7/8"-14 ROD THREAD SIZE: 1-1/4""-12 LH LARGE TAPER DIAMETERS: 1.25" ROD THREAD DIAMETERS: 1.25" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE: ROADSIDE, TYPE: 1, THREAD DIRECTION: LH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - MERITOR FL931, 941 & FH901 AXLE MODELS, ORIENTATION - ROADSIDE - LH, STUD CENTER TO END - 7.37"
PPP2M002	TIE ROD END	MULTIPLE FREIGHTLINER, GMC, KENWORTH, MACK, INTERNATIONAL, VOLVO & PETERBILT APPLICATIONS	TAPER LENGTHS: 1.36", SMALL TAPER DIAMETERS: 1.08" STUD CENTER TO ROD END: 7.37" STUD THREAD SIZE: 7/8"-14, ROD THREAD SIZE: 1-1/4"-12 RH LARGE TAPER DIAMETERS: 1.25" ROD THREAD DIAMETERS: 1.25" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE: CURBSIDE, TYPE: 1, THREAD DIRECTION: RH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - MERITOR FL931, 941 & FH901 AXLE MODELS, ORIENTATION - CURBSIDE - RH, STUD CENTER TO END - 7.37"
PPP2R022	CAB AIR BAG	MULTIPLE KENWORTH APPLICATIONS	REVERSIBLE SLEEVE, CAP NUMBER: 7018 PISTON NUMBER: 6913, TOP PLATE HOLE/STUD: 1 BOTTOM PLATE HOLE/STUD: 1 EXTENDED HEIGHT: 8.46", COMPRESSED HEIGHT: 2.40" BCR (LOGO COLOR): 6.25" (ORANGE) TOP PLATE DIAMETER: 2.99", BOTTOM PLATE DIAMETER: 2.83"
PPP2M003	TIE ROD END	MULTIPLE KENWORTH, INTERNATIONAL & VOLVO APPLICATIONS	TAPER LENGTHS: 1.08", SMALL TAPER DIAMETERS: 0.967 STUD CENTER TO ROD END: 6.00", STUD THREAD SIZE: 7/8"-14 ROD THREAD SIZE: 1-1/8"-12 LH, LARGE TAPER DIAMETERS: 1.102", ROD THREAD DIAMETERS: 1.125" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE: ROADSIDE, TYPE: 1, THREAD DIRECTION: LH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - EATON DANA E10001, E12001 & E13201 FRONT AXLE MODELS, ORIENTATION - ROADSIDE - LH STUD CENTER TO END - 6"

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2M004	TIE ROD END	MULTIPLE KENWORTH, INTERNATIONAL & VOLVO APPLICATIONS	TAPER LENGTHS: 1.08", SMALL TAPER DIAMETERS: 0.967" STUD CENTER TO ROD END: 6.00", STUD THREAD SIZE: 7/8"-14 ROD THREAD SIZE: 1-1/8"-12 RH LARGE TAPER DIAMETERS: 1.102" ROD THREAD DIAMETERS: 1.125" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE: CURBSIDE, TYPE: 1, THREAD DIRECTION: RH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - DANA/EATON E10001, E12001 & E13201 AXLE MODELS, ORIENTATION - CURBSIDE - RH STUD CENTER TO END - 6"
PPP2M006	RH TIE ROD END	MULTIPLE KENWORTH, INTERNATIONAL, PETERBILT, STERLING & VOLVO APPLICATIONS	TAPER LENGTHS: 1.36", SMALL TAPER DIAMETERS: 1.08" STUD CENTER TO ROD END: 12.69" STUD THREAD SIZE: 7/8"-14 ROD THREAD SIZE: 1-7/8"-12 RH LARGE TAPER DIAMETERS: 1.25" ROD THREAD DIAMETERS: 1.875" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE: CURBSIDE, TYPE: 3, THREAD DIRECTION: RH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - MERITOR FA231 AXLE MODELS W/ CAST WHEELS
PPP2M007	LH TIE ROD END	MULTIPLE KENWORTH, INTERNATIONAL, PETERBILT, STERLING & VOLVO APPLICATIONS MERITOR A-3144-C-549	TAPER LENGTHS: 1.36", SMALL TAPER DIAMETERS: 1.08" STUD CENTER TO ROD END: 12.69" STUD THREAD SIZE: 7/8"-14, ROD THREAD SIZE: 1-7/8"-12 LH LARGE TAPER DIAMETERS: 1.25" ROD THREAD DIAMETERS: 1.875" ROD THREADS PER IN: 12, STUD THREADS PER IN: 14 STYLE : ROADSIDE, TYPE : 3, THREAD DIRECTION: LH STUD THREAD DIAMETERS: 0.875" AXLE MODEL - MERITOR FA231 AXLE MODELS W/ CAST WHEELS
PPP2J015	BALL JOINT END	MULTIPLE PETERBILT APPLICATIONS	
PPP2M014	DRAGLINK	PETERBILT 200, 300, 357, 378 AND 379 SERIES	APPLICATION: PETERBILT, TYPE: NON-REPLACEABLE ENDS ENDS: IDENTICAL ENDS, LENGTH CENTER TO CENTER: 14.210" SHAFT DIAMETER: 1.378", TAPER MINOR DIAMETER: 1.080" TAPER MAJOR DIAMETER: 1.250", TAPER LENGTH: 1.360" TAPER PIN THREAD: 7/8"-14, STUD CENTER TO END - 15.20"

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2U042	LEVELING VALVE W/DUMP	PETERBILT 330, 335, 337, 348, 357, 359, 377, 378, 379, 567, 579 & 587 MODELS	INTEGRAL PUMP, PACCAR APPLICATIONS REPLACEMENT FOR BARKSDALE PORTS: 1/4" NPT INCLUDES DUMP FEATURE
PPP2R035	CAB MOUNT BUSHING	PETERBILT 357, 365, 378, 379, 385, 387 & 389 MODELS	HEIGHT: 1 1/8" I.D.: 21/32", O.D.: 1 13/16" (NIPPLE), LARGE O.D.: 3"
PPP2R088	CAB PIVOT BUSHING	PETERBILT 357, 367, 377 & 379 SERIES	I.D.: 3/4", O.D.: 1"
PPP2R083	CAB AIR SPRING	PETERBILT 379	CAP NUMBER: 7014, PISTON NUMBER: 6906 TOP PLATE HOLE/STUD: 1, BOTTOM PLATE HOLE/STUD: 1 EXTENDED HEIGHT: 14.00", COMPRESSED HEIGHT: 4.00" BCR (LOGO COLOR): 10.00" (YELLOW) TOP PLATE DIAMETER: 2.84", BOTTOM PLATE DIAMETER: 2.28"
PPP2F039	SUSPENSION KIT	PETERBILT 379 SERIES	
PPP2F040	SUSPENSION KIT	PETERBILT 379 SERIES	
PPP2F044	SPRING HANGER (ALUM)	PETERBILT 379 SERIES	DIMENSIONS - 4" X 6 1/4", MATERIAL - ALUMINUM
PPP2F045	TORQUE ROD ASSY	PETERBILT 379 SERIES	LENGTH: 25.56" (CENTER TO CENTER) WORKS W/ 03AL1 (S-19523) & 03AL2 (S-19524) KITS
PPP2U005	LEVELING VALVE	PETERBILT 385, 387 AND 389 MODELS	PUSH TO CONNECT (PTC) FITTINGS. PROVIDES PRECISE ADJUSTMENT TO RIDE HEIGHT VARIATION
PPP2M009	DRAGLINK	PETERBILT 387 SERIES	APPLICATION: KENWORTH, APPLICATION: PETERBILT TYPE: NON-REPLACEABLE ENDS, ENDS: IDENTICAL ENDS LENGTH CENTER TO CENTER: 31.000", SHAFT DIAMETER: 1.654" SHAFT SIDE THREAD: 1 1/8" - 12 (RH) TAPER MINOR DIAMETER: 1.080" TAPER MAJOR DIAMETER: 1.220", TAPER LENGTH: 1.440" TAPER PIN THREAD: 7/8"-14, STUD CENTER TO END - 31"
PPP2F018	TOP PLATE	PETERBILT APPLICATIONS W/ AIR TRAC SYSTEMS	LENGTH: 8.375"
PPP2S023	WEAR PLATE	PETERBILT APPLICATIONS W/ AIR TRAC SYSTEMS	4.278" X 4.500", BOLT SIZE: M16-2 X 180MM
PPP2F042	SHACKLE	PETERBILT CONVENTIONAL & CABOVER SERIES	INCLUDES 4" WIDE SPRINGS

SUSPENSION

PPP #	DESCRIPTION	POPULAR APPLICATION	PRODUCT INFORMATION
PPP2F002	SPRING PIN BUSHING	PETERBILT CONVENTIONALS & CABOVERS W/ 4" WIDE FRONT SUSPENSION SPRINGS KENWORTH C500, K100/300, W900, T300/400/450/600/800 & T2000 MODELS	O.D.: 52.8MM
PPP2F005	SPRING PIN BUSHING	PETERBILT CONVENTIONALS & CABOVERS W/ 4" WIDE FRONT SUSPENSION SPRINGS KENWORTH C500, K100/300, W900, T300/400/450/600/800 & T2000 MODELS	WORKS W/ B65-1008, O.D.: 44.5MM
PPP2F036	SPRING PIN BUSHING	PETERBILT CONVENTIONALS & CABOVERS W/ 4" WIDE SUSPENSION SPRINGS INTERNATIONAL 4500-4900 SERIES MEDIUM DUTY	WORKS W/ 4" WIDE FRONT SUSPENSION SPRINGS
PPP2F009	SHACKLE	PETERBILT FRONT 4" COE & CONVENTIONALS, KENWORTH FRONT C500B, 550B, K100,300,T300, 400, 450, 600, 800	TWO SPRING PIN HOLES, CENTER TO CENTER: 4 ", OAL: 6.375"
PPP2F029	STUD AIR SPRING	WORKS W/ PETERBILT REAR AIR TRAC SERIES	THREADS: 1/2"-13, OVERALL LENGTH: 5 3/8"

NOTES

LOCATIONS

U.S.A

CALIFORNIA

CARSON
1202 East Carson St
Carson, CA 90745
310-984-3430

EL CENTRO*
651 E Ross Ave
El Centro, CA 92243
760-592-2210

ESCONDIDO*
124 Market Pl
Escondido, CA 92029
760-871-2183

FONTANA
9730 Cherry Ave
Fontana, CA 92335
909-823-9955

FONTANA: NEW LEASE & RENTAL LOCATION
9727 Cherry Ave.
Fontana, CA 92335

LOS ANGELES
1600 Washington Blvd
Montebello, CA 90640
323-278-4100

OTAY MESA*
9375 Customhouse Plaza, Ste H
San Diego, CA 92154
619-328-1689

SAN DIEGO
500 North Johnson Ave
El Cajon, CA 92020
619-328-1600

SUN VALLEY*
11142 Fleetwood St Unit 1
Sun Valley, CA 91352
818-253-2165

ARIZONA

KINGMAN*
2301 Shinarump Dr.
Kingman, AZ 86413
(928) 293-3155

MESA
4142 E Valley Auto Drive
Mesa AZ, 85206
480-824-9300

NOGALES*
385 W Mariposa Rd
Nogales, AZ 85621
520-860-6146

PHOENIX
8314 W. Roosevelt St
Tolleson, AZ 85353
602-258-7791

TUCSON
3737 North I-10 EB Frontage Rd
Tucson, AZ 85705
520-888-0028

NEW MEXICO

ALBUQUERQUE
7711 Fortuna Rd NW
Albuquerque, NM 87121
505-884-0300

FARMINGTON
3924 Bloomfield Hwy
Farmington, NM 87401
505-327-0200

CANADA

B.C. & YUKON

ABBOTSFORD
830 Riverside Road
Abbotsford, B.C. V2S 7P6
604-850-0009

BURNABY
5550 Goring St
Burnaby, BC V5B 3A4
604-291-6431

CHILLIWACK
109-44195 Yale Rd
Chilliwack, V2R 4H2
604-793-9990

CORPORATE
2482 Douglas Rd
Burnaby, BC V5C 6C9
604-291-6021

CAMPBELL RIVER
2900 North Island Hwy
Campbell River, BC V9W 2H5
250-287-8878

CASTLEGAR
2205 14 Ave
Castlegar, BC V1N 3Z1
250-365-2807

CRANBROOK
816 Industrial Road No. 1
Cranbrook, BC V1C 4C6
250-426-6205

DAWSON CREEK*
2612 92nd Ave
Dawson Creek, BC V1G 0G2
250-784-0934

DELTA*
207-7188 Progress Way
Delta, BC V4G 1J2
604-952-1280

FORT ST. JOHN
10611 Finning Frontage Rd
Fort St. John, BC V1J 4H8
250-785-6105

HOUSTON
2226 N Nadina Ave
Houston, B.C. V0J 1Z0
250-845-0061

KAMLOOPS
2505 Trans Canada Hwy West
Kamloops, BC V1S 1Z4
250-374-4406

KELOWNA
2485 Ross Rd
West Kelowna, BC V1Z 1M2
250-769-2933

LANGLEY
26770 Gloucester Way
Langley, BC V4W 3V6
604-607-0300

NANAIMO
2365 Northfield Rd
Nanaimo, BC V9S 3C3
250-758-5288

PENTICTON
1690 Fairview Rd
Penticton, BC V2A 6A8
250-492-3939

PRINCE GEORGE
7337 Boundary Rd
Prince George, BC V2N 6C9
250-562-8171

QUESNEL
3150 Highway 97 N
Quesnel, BC V2J 5Y9
250-992-7256

SMITHERS
3465 Victoria Dr
Smithers, B.C. V0J 2N0
778-764-1680

TERRACE
3671 Highway 16 East
Terrace, BC V8G 4M2
250-635-2292

VERNON
1051 Middleton Way
Vernon, BC V1B 2N3
250-545-4424

WHITEHORSE
227 Range Rd
Whitehorse, YT Y1A 3E5
867-668-2127

WILLIAMS LAKE
1560 Broadway Ave S
Williams Lake, BC V2G 2X3
250-392-7101

SASKATCHEWAN

ESTEVAN
201 Shand Rd
Estevan, SK S4A 1C8
306-637-2121

REGINA
520 Park St
Regina, SK S4N 0T6
306-569-9021

SASKATOON
2410 Northridge Dr
Saskatoon, SK S7L 7L6
306-931-1911

SWIFT CURRENT
175 Industrial Dr
Swift Current, SK S9H 5R4
306-778-2390

MANITOBA

BRANDON
1240 Highland Ave
Brandon, MB R7C 1A7
204-728-6681

WINNIPEG
357 Oak Point Hwy
Winnipeg, MB R2R 1T9
204-694-3874

***PARTS ONLY**